


NMOS BULLETIN



New Mexico
Ornithological
Society

Vol. 49, No. 2

CONTENTS

2021

Articles

A SURVEY OF BIRD-BUILDING COLLISIONS AND BUILDING CHARACTERISTICS AT THE UNIVERSITY OF NEW MEXICO

Danica B. Simmons..... 9

Announcements and Information

MEMBERSHIP DUES REMINDER 16

THE NEW MEXICO ORNITHOLOGICAL SOCIETY, INC.

Post Office Box 3068, Albuquerque, New Mexico 87190-3068

www.nmbirds.org

Find us on 

OFFICERS FOR 2020 – 2022

President:

Kathy Granillo, kathy_granillo@fws.gov

Vice-President:

Matt Baumann, mbaumann22@gmail.com

Secretary:

Megan Ruehmann, megan.ruehmann@gmail.com

Treasurer:

Dave Krueper, drkrueper@comcast.net

Director:

Will Jaremko-Wright, wjaremkowright@gmail.com

Director:

Chuck Hayes, clhayes@unm.edu

Director:

Dave Hawksworth, dl.hawksworth@gmail.com

Student Director:

Owen Sinkus

Editors, NMOS Field Notes:

Editor:

Sartor O. Williams III, sunbittern@earthlink.net

Assistant Editor:

William H. Howe, whhowe60@gmail.com

Editor, NMOS Bulletin:

David Mehlman, dmehlman@centurylink.net

A SURVEY OF BIRD-BUILDING COLLISIONS AND BUILDING CHARACTERISTICS AT THE UNIVERSITY OF NEW MEXICO

DANICA B. SIMMONS

5904 Legends Ave. NW, Albuquerque, NM 87120 USA
theacinad@gmail.com

INTRODUCTION

Billions of birds in the United States are annually killed by human influence (Loss et al. 2014, 2015), notably from predation by house cats and collisions with buildings, vehicles, or powerlines (Loss et al. 2015). While certain species of birds are more vulnerable to collisions, particularly migratory birds (Loss et al. 2014), the result is declining avian populations. Buildings across the U.S. are unfortunate examples of the lack of building and landscape planning concerning birds, resulting in frequent deaths (Loss et al. 2014, 2015; Hager et al. 2017).

To combat this issue, researchers have investigated aspects of buildings that make them at risk for collision. Common features that contribute to bird-window collisions are glass area (Klem 2009, Klem et al. 2009, Nichols et al. 2018), surrounding vegetation (Hager et al. 2013, Klem et al. 2009), and building size (Hager et al. 2017). Research has established that birds are unable to see the clear, reflective glass and plastic common in many windows (Klem 2009). The birds are subsequently killed from rupturing blood vessels and impact damage in their brains from colliding with windows (Klem 1990). Researchers across the globe have conducted studies to inform future planning and amending buildings to be more bird-friendly by surveying collisions (Klem et al. 2009, Ocampo-Peñuela et al. 2016, Hager et al. 2017, Low et al. 2017, Nichols et al. 2018).

The University of New Mexico (UNM) is no stranger to human-caused avian fatalities. While the topic is more commonly studied in other parts of the U.S., there is no similar study in the Southwestern U.S. assessing bird-building collisions. In this study, the UNM central campus was surveyed for bird-building collisions by quantifying the number of bird casualties and identifying building characteristics that are known to be correlated with such collisions: building size and glass area. It was hypothesized that larger buildings, buildings with more glass area, and buildings with higher reflectivity increase collision risks and yield more casualties than those with lower risk characteristics.

METHODS

Buildings and Study Area. The study area was UNM's Central Campus (not including the UNM Hospital Campus) in Albuquerque, Bernalillo County, New Mexico (Figure 1). The campus is approximately 800 acres (3.24 km²) according to their website, sporting




Figure 1. Study area and buildings. The area classified as UNM’s Central Campus is contained within the blue line. All study buildings and building complexes are outlined and colored in red and numbered in order in which they were surveyed (Table 1).

a mixture of pueblo revival, modern, and post-modern architecture. UNM has a lush, vivacious environment full of “bird-friendly” landscaping as set out by Leopold (1918). The campus became a designated Arboretum in 1914 providing ample habitat for birds. As a result, the abundant vegetation could contribute to window collisions. After surveying the buildings and structures on campus between May and July 2018 and identifying buildings potentially posing the greatest risk, buildings were narrowed down further when certain buildings consistently yielded no casualties early on in the surveys. The 17 selected buildings (Figure 1, Table S1) were surveyed for 22 days from August 2018 to November 2018, and again for 13 days from March 2019 to May 2019 with a standardized survey path of 5.02 km.

Collision Risk. Buildings were assessed for four identifying factors that contribute to bird collisions as outlined by Klem (2009) and USFWS (2016): glass area, building size, surrounding vegetation, and building features. Since building size is related to risk of

collision (Hager et al. 2017), building size was measured using building square feet and number of floors provided by UNM Space Management. Glass area was measured by visual observation, photos, and estimating glass to building area percentage. Risk was also determined by observations of window strike imprints, near-misses, reflectivity of glass, reflection of vegetation, vegetation distance to buildings, and window features such as coverings, decals, and patterns. These factors were descriptive and used to elaborate on risk factors for respective buildings.

Quantifying Casualties. A typical survey day was conducted from 6:30 AM to 9:30 AM walking the entire perimeter of the survey buildings looking for dead birds or other evidence of collision (i.e., stunned birds) (Figure S2, Figure S3). Birds recorded in the list of total casualties were skeletons and other more complete carcasses within 2 m or less of a window and identified to species with the assistance of Museum of Southwestern Biology (MSB) staff. Other birds included in the total casualties were those that were stunned or observed actively colliding with a building, whether the bird flew/hopped away or not, as there is a high chance they would succumb to their injuries from the collision or have a decreased chance of survival due to injuries (Klem 1990).

Birds collected by others during the study's duration and those in the ARCTOS database of birds found in the immediate area were added to the casualty list. The ARCTOS database (arctos.database.museum/) is a multi-university online collection of research data managed and used for natural and cultural history research.

RESULTS

The number of casualties collected and observed across the entire period was 36, with 25 during the fall period and 11 during the spring survey. Casualties from the ARCTOS database totaled 40, resulting in 76 total casualties on the UNM Main Campus. There were 34 species recorded (Table 1), the highest from MacGillivray's Warbler (9) and Rock Pigeon (8). Among survey casualties, the highest species were MacGillivray's Warbler (5), Orange-crowned Warbler (4), and American Robin (4). The number of casualties in the survey was higher in October (11) than any other month and higher in the fall (27) compared spring (12; Figure S4). For all recorded casualties (Figure S5), fall and spring had equal casualties (25), which were higher than either summer (2) or winter (11). The peak months were October (13) and May (12).

Buildings with the highest casualties recorded during the survey (Figure S1, Table S1) were Farris Engineering Center (5), followed by College of Education, George Pearl Hall, McKinnon Center, and Science & Math Learning Center, all with four casualties each. The relationship between casualties and floorspace (Figure 2) was negative ($r = -0.437, N = 17, P = 0.079$) where casualties were highest at smaller buildings. Buildings with floorspace $< 10,000 \text{ m}^2$ had 28 out of 36 casualties. The relationship between glass area and casualties (Figure 3), was positive ($r = 0.588, N = 36, P = 0.013$). Most survey casualties were found in buildings with $\geq 50\%$ glass area (30 out of 36 casualties).

Table 1. The 76 total casualties of 34 species recorded during the study.

Scientific Name	Common Name	Found	ARCTOS	Total
<i>Accipiter striatus</i>	Sharp-shinned Hawk	0	1	1
<i>Archilochus alexandri</i>	Black-chinned Hummingbird	2	1	3
<i>Bombycilla cedrorum</i>	Cedar Waxwing	0	3	3
<i>Cardellina pusilla</i>	Wilson’s Warbler	2	0	2
<i>Catharus guttatus</i>	Hermit Thrush	3	2	5
<i>Chordeiles minor</i>	Common Nighthawk	0	1	1
<i>Coccyzus americanus</i>	Yellow-billed Cuckoo	0	1	1
<i>Columba livia</i>	Rock Pigeon	2	6	8
<i>Corvus brachyrhynchos</i>	American Crow	0	1	1
<i>Geococcyx californianus</i>	Greater Roadrunner	0	1	1
<i>Geothlypis tolmiei</i>	MacGillivray’s Warbler	5	4	9
<i>Geothlypis trichas</i>	Common Yellowthroat	1	0	1
<i>Hirundo rustica</i>	Barn Swallow	0	1	1
<i>Junco hyemalis</i>	Dark-eyed Junco	3	0	3
<i>Megascops asio</i>	Western Screech-Owl	0	1	1
<i>Oreothlypis celata</i>	Orange-crowned Warbler	4	0	4
<i>Passer domesticus</i>	House Sparrow	1	1	2
<i>Peucaea cassinii</i>	Cassin’s Sparrow	0	1	1
<i>Passerina caerulea</i>	Blue Grosbeak	1	0	1
<i>Pipilo chlorurus</i>	Green-tailed Towhee	1	2	3
<i>Pipilo maculatus</i>	Spotted Towhee	1	0	1
<i>Psaltriparus minimus</i>	Bushtit	0	3	3
<i>Regulus calendula</i>	Ruby-crowned Kinglet	0	2	2
<i>Seiurus aurocapilla</i>	Ovenbird	0	1	1
<i>Setophaga coronata</i>	Yellow-rumped Warbler	0	1	1
<i>Setophaga petechia</i>	Yellow Warbler	0	1	1
<i>Sphyrapicus varius</i>	Yellow-bellied Sapsucker	0	1	1
<i>Spinus psaltria</i>	Lesser Goldfinch	1	1	2
<i>Spizella passerina</i>	Chipping Sparrow	1	1	2
<i>Sturnella neglecta</i>	Western Meadowlark	0	1	1
<i>Turdus migratorius</i>	American Robin	4	0	4
<i>Vireo gilvus</i>	Warbling Vireo	1	0	1
<i>Zenaida asiatica</i>	White-winged Dove	2	0	2
<i>Zenaida macroura</i>	Mourning Dove	1	1	2

The features of reflection and vegetation combined with glass area increased collision potential. Buildings with a combination of high reflectivity of vegetation, building size, and glass area consistently (with the exception of intervention by groundskeepers) yielded larger amounts of mortalities—most notably the Farris Engineering Center.




Figure 2. The relationship between survey casualties and the floorspace area of selected buildings.

DISCUSSION

UNM's Central Campus is known to be unsafe to birds with casualties observed each year; this study confirmed that glass area and number of casualties were significantly related. Unfortunately, building height was unavailable in this study due to limited access, showing obvious next steps for more detailed analyses. However, minimal resources severely restricted the amount of data that was collected. The limitations of one surveyor restricted the survey to buildings with medium and high collision risk, therefore eliminating the ability to thoroughly compare each individual building and landscaping characteristic. Because of these constraints, carcasses could not be verifiably determined to have collision as the cause of death unless the event was directly observed or the disposition of the carcass showed obvious signs of collision.

The size of the data set including the ARCTOS specimens was smaller than desired for appropriate statistical tests. The frequency of casualties by month showed similarities with other collision studies, where more collisions occur in the fall than spring and most collisions occur in October (Loss et al. 2014, Low et al. 2017, Nichols et al. 2018). Birds most prone to collisions in this study were regular long-distance fall and spring migrants; the *Parulidae* (Wood-warblers) were heavily represented in both survey (12) and total (19)




Figure 3. The relationship between survey casualties and the glass area of the survey buildings.

casualties, consistent with other research (Nichols et al. 2018). Resident and seasonal resident species more prevalent in this study were American Robin, Dark-eyed Junco, and Rock Pigeon; their mortality risk was attributed to food sources being closer to buildings (Klem et al. 2004) and higher densities of these birds around windows in general (Hager et al. 2008).

Susceptible buildings with no specimens were likely influenced by facility management and custodial staff removing carcasses earlier than the survey start time. Carcass removal by custodial staff occurred daily in the early morning for the Student Union Building and there were presumably similar practices for the Center for the Arts/Popejoy Hall and Centennial Engineering Center as well. Casualty yield was also likely affected by scavengers, as there are many Cooper’s Hawks (*Accipiter cooperii*) and feral cats on campus.

The purpose of this study was to establish a precedent to move forward in informing campus policies and finding ways to reduce bird-building collisions. Future research on UNM Campus bird-building collisions should involve concentrated effort of consistent surveying for each given target building and a greater variety of buildings surveyed, as has been typical in other bird-building collision studies (Klem et al. 2009, Nichols et al. 2018, Ocampo-Peñuela et al. 2016). This should provide a large enough data set to use in petitioning for appropriate bird-safe measures. Future mitigation would involve creating a database for anyone on campus to report and provide bird carcasses for collection and research by MSB. Planning for future research with faculty at UNM began in September 2019 with the School of Architecture and Planning and MSB, informed by this study and the body of research informing mitigations for bird friendly solutions.

ACKNOWLEDGEMENTS

Thanks to the MSB (msb.unm.edu/) for providing access to their collection and freezers to deposit birds collected during the survey, particularly MSB Senior Collection Manager Andrew Johnson. I would like to specially thank MSB Division of Birds Curator and Professor Christopher Witt for overseeing the drafting and execution of this study. Both Dr. Witt and Johnson provided species identification and confirmation in addition to deciding which specimens were appropriate to keep in the physical collections. Other MSB employees I would like to thank are Division of Mammals Collections Associate Adrienne Raniszewski for allowing access to the freezers and specimens and David Tan for his important input in this study. I would also like to thank Professor of Landscape Architecture and Art & Ecology Catherine Page Harris and Anthony Fettes for initiating a collaboration with the School of Architecture and Planning and the MSB in developing future plans for mitigation of bird-window collisions at UNM. Tabia Murray Allred of UNM Space Management kindly provided the building footprints and number of floors via the Space Database FAMIS. Additional thanks to Anthony Jackson for covering this study in *The Daily Lobo* (www.dailylobo.com/article/2018/06/birds-on-campus; www.dailylobo.com/article/2019/03/bird-deaths-at-unm). Additional supplementary information associated with this paper can be found at www.nmbirds.org/bulletin.

LITERATURE CITED

- Hager, S.B., B.J. Cosentino, K.J. McKay, C. Monson, W. Zuurdeeg, and B. Blevins. 2013. Window area and development drive spatial variation in bird-window collisions in an urban landscape. *PLoS ONE* 8(1):e53371.
- Hager, S.B., H. Trudell, K.J. McKay, S.M. Crandall, and L. Mayer. 2008. Bird density and mortality at windows. *Wilson Journal of Ornithology* 120(3):550–564.
- Hager, S.B., B.J. Cosentino, M.A. Aguilar-Gómez, M.L. Anderson, M. Bakermans, T.J. Boves, D. Brandes, M.W. Butler, E.M. Butler, N.L. Cagle, R. Calderón-Parra, A.P. Capparella, A. Chen, A., K. Cipollini, A.A.T. Conkey, T.A. Contreras, R.I. Cooper, C.E. Corbin, R.L. Curry, J.J. Dosch, M.G. Drew, K. Dyson, C. Foster, C.D. Francis, E. Fraser, R. Furbush, N.D. G. Hagemeyer, K.N. Hopfensperger, D. Klem, Jr., E. Lago, A. Lahey, K. Lamp, G. Lewis, S.R. Loss, C.S. Machtans, J. Madosky, T.J. Maness, K.J. McKay, S.B. Menke, K.E. Muma, N. Ocampo-Peñuela, T.J. O'Connell, R. Ortega-Álvarez, A.L. Pitt, A.L. Puga-Caballero, J.E. Quinn, C.W. Varian-Ramos, C.S. Riding, A.M. Roth, P.G. Saenger, R.T. Schmitz, J. Schnurr, M. Simmons, A.D. Smith, D.R. Sokoloski, J. Vigliotti, E.L. Walters, L.A. Walters, J.T. Weir, K. Winnett-Murray, J.C. Withey, and I. Zuria. 2017. Continent-wide analysis of how urbanization affects bird-window collision mortality in North America. *Biological Conservation* 212:209–215.
- Klem, Jr., D. 1990. Bird injuries, cause of death, and recuperation from collisions with windows. *Journal of Field Ornithology* 61(1):115–119.
- Klem, Jr., D. 2009. Preventing bird–window collisions. *Wilson Journal of Ornithology* 121(2):314–321.

- Klem, Jr., D. 2013. Evaluating the effectiveness of select visual signals to prevent bird-window collisions. *Wilson Journal of Ornithology* 125(2):406–411.
- Klem, Jr., D., C.J. Farmer, N. Delacretaz, Y. Gelb, and P.G. Saenger. 2009. Architectural and landscape risk factors associated with bird-glass collisions in an urban environment. *Wilson Journal of Ornithology* 121(1):126–134.
- Klem, Jr., D., D.C. Keck, K.L. Marty, A.J. Miller Ball, E.E. Niciu, and C.T. Platt. 2004. Effects of window angling, feeder placement, and scavengers on avian mortality at plate glass. *Wilson Bulletin* 116(1):69–73.
- Leopold, A. 1918. Memorandum for Mr. Ikemoto: Bird Plan for University Campus. Albuquerque Game Protective Association.
- Loss, S.R., T. Will, S.S. Loss, and P.P. Marra. 2014. Bird–building collisions in the United States: estimates of annual mortality and species vulnerability. *The Condor* 116(1):8–23.
- Loss, S.R., T. Will, and P.P. Marra. 2015. Direct mortality of birds from anthropogenic causes. *Annual Review of Ecology, Evolution, and Systematics* 46:99–120.
- Low, B.W., D.L. Yong, D. Tan, A. Owyong, and A. Chia. 2017. Migratory bird collisions with man-made structures in South-East Asia: a case study from Singapore. *BirdingASIA* 27:107–111.
- Nichols, K.S., T. Homayoun, J. Eckles, and R.B. Blair. 2018. Bird-building collision risk: An assessment of the collision risk of birds with buildings by phylogeny and behavior using two citizen science datasets. *PLoS ONE* 13(8):e0201558.
- Ocampo-Peñuela, N., R.S. Winton, C.J. Wu, E. Zambello, T.W. Wittig, and N.L. Cagle. 2016. Patterns of bird-window collisions inform mitigation on a university campus. *PeerJ* 4:e1652.
- U.S. Fish and Wildlife Service Division of Migratory Bird Management (USFWS). 2016. Reducing bird collisions with buildings and building glass best practices. Falls Church, Virginia.

* * *

MEMBERSHIP DUES REMINDER

Please take the opportunity now to pay your 2021 NMOS membership dues. To join or renew your membership, go to our website (www.nmbirds.org/membership) and pay using PayPal (save a stamp, pay online!) or download the membership form, fill out, and mail to the following address, providing a check made out to “NMOS.” Thank you!

New Mexico Ornithological Society
P.O. Box 3068
Albuquerque, NM 87190-3068

New Mexico Ornithological Society
— Founded 1962 —

The New Mexico Ornithological Society was organized to gather and disseminate accurate information concerning the bird life of New Mexico; to promote interest in and appreciation of the value of birds, both aesthetic and economic; to further effective conservation of the state's avifauna; to facilitate opportunity for acquaintance and fellowship among those interested in birds and nature; and to issue publications as a means of furthering these ends.

Membership and Subscriptions: Membership in the New Mexico Ornithological Society is open to anyone with an interest in birds. Memberships are for a calendar year and annual dues are payable 1 January. Dues are: Regular Membership \$20; Family \$30; Student \$10; Supporting \$50; Life \$500. Address for the New Mexico Ornithological Society: Post Office Box 3068, Albuquerque, NM 87190-3068.

NMOS Bulletin
ISSN 2167-003X

The *Bulletin* is published quarterly; subscription is by membership in NMOS. The *Bulletin* serves two primary purposes: (1) to publish articles of scientific merit concerning the distribution, abundance, status, behavior, and ecology of the avifauna of New Mexico and its contiguous regions; and (2) to publish news and announcements deemed of interest to the New Mexico ornithological community.

NMOS members are encouraged to submit articles and news. Articles received are subject to review and editing. Published articles are noted in major abstracting services. Please submit articles in double-spaced electronic format, such as a Microsoft Word document, by e-mail to the Editor (see inside front cover). Refer to recent issues of the *Bulletin* for examples of style. News items may be submitted to the Editor by way of e-mail.

www.nmbirds.org

This issue of the *NMOS Bulletin* published December 11, 2021
Printed on 100% recycled paper.

New Mexico Ornithological Society
P.O. Box 3068
Albuquerque, NM 87190-3068

NON-PROFIT
ORGANIZATION
U.S. POSTAGE
PAID
PERMIT NO. 623
ALBUQUERQUE, NM

ADDRESS SERVICE REQUESTED