Disclaimer: This file has been scanned with an optical character recognition program, often an erroneous process. Every effort has been made to correct any material errors due to the scanning process. Some portions of the publication have been reformatted for better web presentation. Announcements and add copy have usually been omitted in the web presentation. We would appreciate that any errors other than formatting be reported to NMOS at this web site. Any critical use of dates or numbers from individual records should be checked against the original publication before use as these are very difficult to catch in editing.

### NEW MEXICO

## ORNITHOLOGICAL SOCIETY

•

# FIELD NOTES

Volume XVI, No. 2

June 1 - November 30 1977

Editors: W. H. Baltosser John P. Hubbard

New Mexico Ornithological Society 2016 Valle Rio Santa Fe, New Mexico 87501

### LOCALITIES -- counties in this issue

Alameda--Bernalillo Alamogordo--Otero Alamo Hueco Mts.--Hidalgo Albuquerque--Bernalillo Algodones--Sandoval Antelope Wells--Hidalgo

Bandelier NM--Sandoval Bayard--Grant Bell Lake--Lea Bernardo SGR--Socorro Big Hatchet Mts.--Hidalgo Bitter Lake NWR--Chaves Black Lake--Colfax Bosque del Apache NWR--Socorro Burro Mts.--Grant

Caballo Lake--Sierra Cabezon--Sandoval Canjilon Lake--Rio Arriba Caprock--Lea Carrizozo--Lincoln Centerfire Bog--Catron Chuska Mts.--San Juan Claunch--Socorro Cliff--Grant Cloverdale--Hidalgo Cochiti Lake--Sandoval Cooks Range--Luna/Grant Cornales--Bernalillo Cottonwood Gulch--Valencia

Des Moines--Union Dulce--Rio Arriba

El Pueblo--San Miguel Evans Lake--Grant

Farmington--San Juan Fence Lake--Valencia Floyd--Roosevelt

Gage--Luna Gila Hot Springs--Grant Gila River Valley--Grant/Catron Glenwood--Catron Gold Hill--Taos Grants--San Miguel Gray Ranch--Hidalgo Grenville--Union Guadalupe Canyon--Hidalgo

Horse Mountain--Catron

Isleta--Bernalillo

Jicarilla Reservation--Rio Arriba Jornada Exp. Range--Doña Ana

11

Kirtland--San Juan La Cienaga--Santa Fe La Cueva--Sandoval Lake Peak--Santa Fe Landron Peak--Socorro Las Cruces--Doña Ana Las Vegas--San Miguel Las Vegas NWR--San Miguel Logan--Quay Lordsburg--Hidalgo Lordsburg Plyas--Hidalgo McAllister Lake--San Miguel Mesilla Dam--Doña Ana Mills Canyon--Harding/Mora Mimbres Valley--Grant/Luna Morgan Lake--San Juan Mt. Taylor--Valencia Mule Creek--Grant Nageesi--San Juan Parkview--Rio Arriba Pecos--San Miguel Pinos Altos Mts.--Grant Pleasanton--Catron Roberts Lake--Grant Rodeo--Hidalgo Roswell--Chaves Ruidoso--Lincoln Sabinal--Socorro Sacramento Mts.--Otero San Antonio--Socorro Sandia Knolls--Bernalillo Sandia Mts.--Bernalillo Sandia Park--Bernalillo San Rafael--Valencia San Simon Cienaga--Hidalgo Santa Fe-+Santa Fe Santa Rita--Grant Santo Domingo--Sandoval Seboyeta--Valencia Shiprock--San Juan Sierra Blanca--Otero/Lincoln Silver City-'Grant Socorro--Socorro Stone Lake--Rio Arriba Torreon--Torrance Tucumcari--Quay Vaughn--Guadalupe White Oaks--Lincoln White Sands NM--Otero

### FROM THE EDITORS:

With the publication of a revised check-list and the prospect of escalating printing costs, the <u>Field Notes</u> need to be revamped to publish only the most relevant data. However, we urge all observers to continue to record and report all significant observations. This material will be housed in the Society's archives, and is guaranteed to be a valuable source for future studies of trends and changes in our birdlife. Nest records and arrival dates also need continued compiling, while photographic documentation of records is encouraged.

The summer season brought several surprises, including an attempted nesting by Northern Parula Warblers near Albuquerque. A summering population of Botteri Sparrows established itself at Rodeo, for the first state record of the species. Other significant records for the period included first breeding of Western Grebes at Caballo Lake, a new heron rookery near Albuquerque, a brood of Green-winged Teal at Centerfire Bog, summering Common Snipe in the Chama region, summering Gray Flycatchers in the Carrizozo area, Dusky Flycatchers breeding in the Zuni Mts., more widespread summering of Blackcapped and Mountain chickadees in the central Rio Grande Valley, first records of Sage Thrashers and Brewer Sparrows summering near Fence Lake, and Red-eyed Cowbirds as far north as Socorro. Summer vagrants included another Thick-billed Kingbird near Antelope Wells, Brown Thrasher at Cottonwood Guich, Yellowthroated Grosbeaks in the west, Varied Bunting at Glenwood, and Painted Bunting near Las Cruces.

Autumn brought notable incursions of Calliope and Anna hummingbirds, Least Flycatchers, Northern Shrikes, and Baird Sparrows. Vagrants included Yellow-crowned Night Heron, Great Crested Flycatcher, and Baltimore Orioles at Bell Lake, Stilt Sandpiper at Alamogordo, Caspian Tern at Bitter Lake NWR, Inca Dove at Socorro, Groove-billed Ani at Roswell, and a probable Pileated Woodpecker and Golden-winged Warbler at Bandelier NM. The Whooping Cranes arrived in mid-October, with at least six and possibly up to eight birds observed.

-- W. H. Baltosser

John P. Hubbard

77-2

### CONTRIBUTORS to this issue:

DB DBy PB TB WB	Delbert Boggs Danny Bystrak Pat Basham Tom Brake William Baltosser	MM MMc WM AN	Mary Moseley Myra McCormick Will Moir Alan Nelson
DC JC	Donna Cole Jodi Corrie	JP WP	Joanne Phillips Wayne Pilz
D D J D	Dot Delollis Jack Drummond	R R S R	Raymond Rudell Stephen Russell
RF	Ralph Fisher	BS	Barbara Steinau
AG	Alan Gast	BSt CS GS	Bernard Steinau Carol Shryock Greg Schmitt
вн	Bruce Hayward	ĸš	Kenneth Seyffert
СН	Chuck Hundertmark	MŠ	Marjorie Swain
JH	John Hubbard	RS	Robert Scholes
LH	Lorraine Hartshorne	WS	William Stone
MH	Myrtle Hilty	WSp	Walter Spofford
РН	Pierre Hartshorne		•
WH	Walton Hawk	JT	Jim Travis
		RT	Ross Teuber
ΒI	Bill Isaacs	ST	Scott Terrill
DL HL	David Lange H. Lesperance	0 V	O.L. Van Buskirt
		MW	Marjorie Williams
АМ	Arch McCallum	RW	Roland Wauer
BM	Barbara McKnight		
DM	Daniel McKnight	DZ	Dale Zimmerman
JM	Julie Meents	ΗZ	Henry Zeller
LM	Larry Murphy	ΜZ	Marian Zimmerman

aut/arrautumn arrival aut/dptautumn departure aut/recautumn record	br/recbreeding record con/reccontinuity record sum/recsummer record uns/recunusual record
--	--

<u>COMMON LOON</u> con/rec--1 at Evans Lake 11/19 (RF).

EARED GREBE sum/rec--2 at Grenville 6/12 (KS) and 4 at Kirtland 7/22 (CS) were probably migrants.

16

77-2

•

.

· ~

•

WESTERN GREBE br/rec--26 birds, 7 adults and 19 young, at Caballo lake 6/26 (WB), constituting the first local breeding record; aut/rec--150 at Stone Lake 9/25 (RF,AN).  $\underline{PIED-BILLED}$  GREBE aut/rec--2 at Morgan Lake 10/18 (AN) and 4 juv. at Roberts Lake 8/7 (RF). WHITE PELICAN aut/rec--present at Morgan Lake 10/12 (CS), 300 to 500 at Bitter Lake NWR 10/14-16 (WS,RF+).  $\frac{\text{DOUBLE-CRESTED}}{\text{con/rec--1}} \stackrel{\text{CORMORANT}}{\text{farmington}} 6/11 \text{ and } 8/12 \text{ (AN,HL), 1 near Santa} \\ \frac{\text{Fe}}{\text{Fe}} 11/6 \text{ (WS), 2 at Roberts Lake } 8/7 \text{ and 2 at Evans Lake } 9/10 \\ \frac{\text{Fe}}{\text{Fe}} 11/6 \text{ (WS), 2 at Roberts Lake } 8/7 \text{ and 2 at Evans Lake } 9/10 \\ \frac{\text{Fe}}{\text{Fe}} 11/6 \text{ (WS), 2 at Roberts Lake } 8/7 \text{ and 2 at Evans Lake } 9/10 \\ \frac{\text{Fe}}{\text{Fe}} 11/6 \text{ (WS), 2 at Roberts Lake } 8/7 \text{ and 2 at Evans Lake } 9/10 \\ \frac{\text{Fe}}{\text{Fe}} 11/6 \text{ (WS), 2 at Roberts Lake } 8/7 \text{ and 2 at Evans Lake } 9/10 \\ \frac{\text{Fe}}{\text{Fe}} 11/6 \text{ (WS), 2 at Roberts Lake } 8/7 \text{ and 2 at Evans Lake } 9/10 \\ \frac{\text{Fe}}{\text{Fe}} 11/6 \text{ (WS), 2 at Roberts } 8/7 \text{ and 2 at Evans Lake } 9/10 \\ \frac{\text{Fe}}{\text{Fe}} 11/6 \text{ (WS), 2 at Roberts } 8/7 \text{ and 2 at Evans Lake } 9/10 \\ \frac{\text{Fe}}{\text{Fe}} 11/6 \text{ (WS), 2 at Roberts } 8/7 \text{ and 2 at Evans Lake } 9/10 \\ \frac{\text{Fe}}{\text{Fe}} 11/6 \text{ (WS), 2 at Roberts } 8/7 \text{ at Roberts } 8/7 \text{$ (RF). <u>OLIVACEOUS</u> <u>CORMORANT</u> con/rec--3 at Bosque del Apache NWR 8/11 (JH,GS). GREEN HERON con/rec--1 at Stone Lake 9/25 (RF,AN), 1 at Alameda 8/17 (JP), and 1 at Tucumcari 8/30 (JH). CATTLE EGRET sum/rec--1 adult, although not in breeding plumage, at Roswell 6/16 (JH). SNOWY EGRET br/rec--at least 10 pair bred near Albuquerque in June (JH+); this appears to be a new colony, but it was greatly disrupted by shooting. BLACK-CROWNED NIGHT HERON br/rec--at least 20 pair bred near Albuquerque in June (JH+); this appears to be a new colony, but it was greatly disrupted by shooting. <u>YELLOW-CROWNED NIGHT HERON</u> uns/rec--an immature at Bell Lake 8/31-9/1, was found injured 9/7 and was collected (JH+). AMERICAN BITTERN sum/rec--2 at Bitter Lake NWR 7/29 (JH); aut/rec--1 at Bosque del Apache NWR 9/24 (JD). WHITE-FACED IBIS con/rec--15 at the Gray Ranch in Hidalgo County 9/25 (GS). MALLARD br/rec--a brood of 2 half-grown young at Centerfire Bog 6/21 (JH). "MEXICAN-like DUCK" br/rec--a female with a brood of 7 small young at Centerfire

Bog 6/21 (JH).

77-2

PINTAIL uns/rec9 at Grenville 6/12 (KS) and 1 at San Simon Cienaga 6/22-24 (JH).
<u>GREEN-WINGED TEAL</u> uns/rec2 near Grenville 6/12 (KS); br/rec4 males and 2 females at Centerfire Bog with brood of 8 small young 6/21 (JH).
<u>CINNAMON TEAL</u> br/rec27 birds plus broods of 6-7 small young at Centerfire Bog 6/21 (JH).
<u>REDHEAD</u> uns/rec13 at Grenville 6/12 (KS).
<u>CANVASBACK</u> uns/rec3 at Bosque del Apache NWR 8/11 (JH,GS) and 1 at San Simon Cienaga 6/22-24 (JH).
<u>LESSER SCAUP</u> uns/recpresent at the Jicarilla Reservation 7/11 (DBy).
RUDDY <u>DUCK</u> br/rec2 pair near Farmington 6/22 (CS), 3 broods of small young at Black Lake 7/29 and 15 at Centerfire Bog with brood of 4-6 small young 6/21 (JH).
<u>GOSHAWK</u> sum/recJuly records in the Sandia Mts. (DD), Pinos Altos Mts. and Burro Mts. (RF).
ZONE-TAILED HAWK br/recbred near Silver City (RF).
BLACK HAWK sum/recat least 5 pair in the Gila River Valley, with a single bird in the Mimbres Valley 6/15 (RF); uns/rec a probable bird of this species at Algodones 5/24 (DC).
BALD EAGLE uns/rec1 adult and 1 immature near Seboyeta 9/9, plus 2 adults and an immature reported there 2 weeks earlier (WP), and 1 adult near Santa Rita 11/6 (RF).
<u>MARSH HAWK</u> uns/rec1 near Gage 5/27 (TB,BH).
<u>MERLIN</u> con/recseveral records in the north by various observers.
WHITE-TAILED PTARMIGAN con/recpresent at Gold Hill in Taos County 7/2 (Butch Morris).
<u>BOBWHITE</u> con/rec1 at Caprock 6/17 (JH).

77-2

•

MONTEZUMA QUAIL con/rec--12 in the northern portion of the Cooks Range (HZ,MMc). CHUKAR uns/rec--2 at Alamogordo 11/16 (LM+) were probably recent releases or escaped birds. WHOOPING CRANE con/rec-by the end of the reporting period, 5 or 6 birds had returned to the Rio Grande Valley, with one additional bird at Las Vegas NWR; first arrivals were 2 at Bosque del Apache NWR 10/15 (Jack Woody). <u>VIRGINIA RAIL</u> aut/rec--at least 3 at the Gray Ranch 9/24-25 (JH). SORA aut/rec--at least 3 at the Gray Ranch 9/24-25 (JH).  $\frac{AMERICAN COOT}{br/rec--at least 50 at Centerfire Bog 6/21 with broods of small and large young (JH).}$ SEMIPALMATED PLOVER con/rec--up to 4 at Morgan Lake 10/7-16 (CS+) and 1 near Alameda 9/27 (JP). SNOWY PLOVER uns/rec--2 at Morgan Lake 10/2-16 (AN,CS,HL). MOUNTAIN PLOVER br/rec--8 with 2 broods near Des Moines 7/27-29 (JH), 1 at Torreon 6/22 (CH,DL), 1 adult and 4 young near Santo Domingo 6/5 with 5 adults and 3 young there 6/25 (RT), and 1 adult with 3 young at Roswell 5/30 (DB,JC). COMMON SNIPE Sum/rec--2 at Parkview and 4 near Canjilon Lakes 6/28-29
(JH); aut/rec--at least 20 at the Gray Ranch 9/24-25 (JH). LONG-BILLED CURLEW con/rec--present at Bitter Lake NWR 6/5 (MW), 1 bird north-east of Vaughn 6/15 (WSp), and 2 at Floyd 6/27 (GS). RED KNOT con/rec--1 at Bitter Lake NWR 8/13 (MW). PECTORAL SANDPIPER con/rec--10 at Morgan Lake 10/7 (AN). <u>SANDERLING</u> con/rec--5 at McAllister Lake 8/30 (JH). STILT SANDPIPER uns/rec--1 near White Sands NM 7/27 (MW) was a new locality record.

MARBLED GODWIT con/rec2 at Lordsburg Plyas 8/27 (RF).
AMERICAN AVOCET sum/rec3 near Kirtland 6/22 (CS).
<u>BLACK-NECKED STILT</u> aut/rec1 near Isleta 9/11 (JD+).
<u>WILSON PHALAROPE</u> uns/rec1 at San Simon Cienaga 6/23 (JH) was late.
<u>CASPIAN TERN</u> uns/rec1 at Bitter Lake NWR 10/8-16 (MW+); details include "size larger than an Avocet that was nearby, smaller than Snowy Egret, black cap, long thick red bill, the back pearl gray, wing tips dark, underparts white, tail white with shallow notch" (WS).
<u>BLACK TERN</u> con/rec10 near Farmington 6/6-7 (GS) and 1 adult and an immature at Roberts Lake 8/7 (RF).
WHITE-WINGED DOVE con/reclast seen in Socorro 8/25 at feeders (PB), present at Caballo Lake 7/5 (LH,PH), several heard in the Mimbres Valley 6/11 (JH), and many in the Alamogordo area during the report- ing period (LM+).
<u>INCA DOVE</u> uns/rec1 at a feeder in Socorro 11/7-18 (PB).
YELLOW-BILLED CUCKOO aut/rec1 at Bell Lake 9/6-8 (JH,GS).
<u>GROOVE-BILLED ANI</u> uns/rec1 at Bitter Lake NWR 10/20 (MW) and near Roswell 11/14 (JH); details for the later include "all black bird with short, rounded wings and long floppy tail. Bill rather heavy in profile with faint grooves. Feet and bill blackish, eye brown with bare dark skin around it. Feathers on nape somewhat shaggy and irridescent. Call a squeaky <u>quee lip</u> , <u>quee lip</u> . Bird viewed at 25-100 ft. through 8 x 40 binoculars for 10 minutes."
<u>OWL sp</u> . uns/reca bird fitting the general description of a Ferruginous Owl was seen and detailed in Lordsburg 6/7 (MMc, R. Manns); the record is being evaluated by the N.M.O.S. Bird Committee.
<u>FLAMMULATED OWL</u> br/recan adult with a well developed brood patch was netted at Cottonwood Gulch 6/5 (AM).
LONG-EARED OWL

br/rec--3 fledglings in Cottonwood Gulch 6/7 (AM).

20

# PYGMY OWL Sum/rec--1 near Fence Lake 6/9 (JH); uns/rec--1 at Kirtland 11/21 (CS), details include "very small, no ears, long tail, when the head was turned it looked as if it had eyes (black ones) in back of its head." <u>SPOTTED OWL</u> con/rec--feathers found in a canyon near Mt. Taylor

10/16 (JH) apparently constitute the first local record.

SAW-WHET OWL con/rec--several banded in Cottonwood Gulch during June (AM).

### BLACK SWIFT con/rec--5 at Lake Peak 8/5 (JH).

ANNA HUMMINGBIRD

uns/rec--an adult male at Sandia Park through 11/8 (MH), an immature male at Sandia Knolls from September into December (Mrs. R. Ginard), a male at Silver City 6/18-20 (MM), an immature male at Las Cruces from November into December (Tom Todson - fide WB+), and a single bird at Rodeo 10/26 (RS).

### CALLIOPE HUMMINGBIRD

con/rec--more records than usual, including 2 males 7/18-23 and a male 8/8-12 at Socorro (PB), an adult male at Cliff 7/24-26 (D.A.Hunt - fide WB), present at Alamogordo 7/31 (LM), and present at Las Cruces 8/13-21 (LH,PH).

### RIVOLI HUMMINGBIRD

con/rec--a female at Glenwood 8/31 (BM,DM); uns/rec--an adult and immature male at Sandia Park through the end of the period.

BLUE-THROATED HUMMINGBIRD uns/rec--a male at feeders in Rodeo 9/29-30 (RS).

BELTED KINGFISHER

br/rec--a pair with a nest in the riverbank below the Gila Hot Springs seen making several trips into the nest with minnows 6/9-12 (RF and Garlyn Hoge), and 2 adults with 2 fledglings at Glenwood 6/10 (JH).

PILEATED WOODPECKER

uns/rec--a large woodpecker was seen and detailed briefly at Bandelier NM 11/27 (RW); there are also some vague records of the species in this area for late summer and/or early autumn.

RED-HEADED WOODPECKER br/rec--2 adults feeding young in nest at Alameda 6/23 to 7/15 (DC).

<u>ACORN WOODPECKER</u> uns/rec2 in the Cooks Range 9/28-29 (JH).		
<u>LEWIS WOODPECKER</u> uns/rec1 in the Cooks Range 9/28-29 (JH).		
<u>WILLIAMSON SAPSUCKER</u> br/reca bird seen at a hole presumed to be a nest near Las Vegas 6/19 (WH).		
<u>HAIRY WOODPECKER</u> uns/rec1 in the Cooks Range 9/28-29 (JH).		
<u>DOWNY WOODPECKER</u> con/rec1 north of Silver City 11/23 (H.R. Williams - fide RF).		
<u>NORTHERN THREE-TOED WOODPECKER</u> con/reca female in the Chuska Mts. near Toadlena 6/14 (GS).		
<u>EASTERN KINGBIRD</u> uns/rec1 at Rodeo 4/20 (WM) was out of the normal range of the species.		
THICK-BILLED KINGBIRD uns/rec1 near Antelope Wells at the U Bar Ranch headquarters 6/18 (BH); br/recat least 7 nests in Guadalupe Canyon, 2 of which were in New Mexico (WB).		
SCISSOR-TAILED FLYCATCHER con/rec1 east of Roswell 6/17 and 7 at Bell Lake 9/6-8 (JH).		
<u>GREAT CRESTED FLYCATCHER</u> uns/rec1 banded at Bell Lake 9/6-8 (JH,GS).		
<u>EASTERN PHOEBE</u> con/rec1 at El Pueblo 7/31 (WH).		
<u>LEAST FLYCATCHER</u> con/rec6 banded at Bell Lake 9/6-8 (JH,GS).		
DUSKY FLYCATCHER br/recseveral nested at Cottonwood Gulch in June (AM), for the first breeding record for the Zuni Mts. and the southern- most for the date.		
GRAY FLYCATCHER br/recan adult feeding fledglings at Cottonwood Gulch 7/10 (AM); sum/rec1 near La Cienaga 6/11 (JT), 2 at Pecos 6/29 (BI+), and 7 near White Oaks 6/16 for the first local record (JH).		
<u>WESTERN FLYCATCHER</u> br/rec5 pairs nesting in the lava malpais near Grants 7/7 (AM).		

PURPLE MARTIN uns/rec--2 at San Rafael 6/21 (JH) were out of habitat; con/rec--1 at Canjilon Lake 6/29 (JH) and several south-west of Dulce (DBy). COMMON RAVEN con/rec--2 near Logan 6/28 (GS). COMMON CROW <u>COMMON CROW</u> con/rec--30 in the Chuska Mts. 6/14 (GS), several at Algodones 6/17 (DC), and 3 at Centerfire Bog 6/21 (JH); uns/rec--1 at Silver City 7/12 and 14 at Evans Lake 11/19 (RF). CLARK NUTCRACKER uns/rec--3 in Santa Fe 10/10 (JH). BLACK-CAPPED CHICKADEE sum/rec--at least 26 in the Rio Grande Valley between Algodones and Bernardo SGR 6/27 to 7/23 (DC), indicating a widespread occupancy of the area by this species which only recently established summer residency in the area. MOUNTAIN CHICKADEE uns/rec--at least 8 between Algodones and Sabinal 6/6 to 7/24 (DC); this chickadee is also a recent summer resident of the middle Rio Grande Valley.  $\frac{BRIDLED}{uns/rec--2}$  in the Cooks Range 9/29 (JH) were the first Luna County record. HOUSE WREN uns/rec--1 at Pleasanton 10/29 (JH) was late. CACTUS WREN uns/rec--1 heard 18 miles northeast of Corona 6/17 repre-sents a new northern limit for the species in the state east of the Rio Grande Valley (JH); also 5-6 on north Landron Peak in Socorro County 9/4 (OV) were further north than usual. <u>GRAY CATBIRD</u> con/rec--up to 4 in the Algodones-Alameda area between 6/24 and 7/11 (DC). BROWN THRASHER uns/rec--1 at Cottonwood Gulch 6/21 (AM) and 1 near Roswell 5/30 (JC,DB). BENDIRE THRASHER uns/rec--1 in the Big Hatchet Mts. 11/26 (OV) was late. SAGE THRASHER con/rec--3 near Nageesi 6/18 (AN), and 2 near Torreon 6/22 (CH,DL); uns/rec--7 east of Fence Lake 6/9 were in a new area for summer birds (JH), and 1 east of Albuquerque 7/17 (DBy) may have been an early migrant.

77-2

MOUNTAIN BLUEBIRD sum/rec--8 near White Oaks 6/16 (JH,BI) and 1 at Horse Mt. 6/16 (BM,DM). TOWNSEND SOLITAIRE sum/rec--1 in the Chuska Mts. 6/15 (GS); uns/rec--1 at Glenwood 8/27 (BM,DM) was very early.  $\frac{BLACK-TAILED}{con/rec--1} \frac{GNATCATCHER}{San Simon Cienaga 9/26}$  (JH) where the species is seldom reported. PHAINOPEPLA br/rec--a nest in Guadalupe Canyon 6/12 (WB); con/rec--1 at Pleasanton 6/10 (JH), 1 at Socorro 8/3 (PB), a pair at Caballo Lake 7/5 (LH,PH), 1 at Bayard 8/30 and 9/4 (RF), and 1 in the Cooks Range 9/28-29 (JH). <u>NORTHERN SHRIKE</u> con/rec--11 birds reported between 10/14 and 11/30 as far south as Bosque del Apache NWR and Bitter Lake NWR (various obs.). STARLING br/rec--nested at Cottonwood Gulch in June (AM). BELL VIREO uns/rec--1 at Bell Lake 9/7 (JH). <u>GRAY VIREO</u> sum/rec--2 at La Cienaga 6/11 (JT).  $\frac{SOLITARY \ VIREO}{uns/rec-3} \ at \ Bell \ Lake \ 9/6-8, \ including \ a \ specimen \ of \ V. \ \underline{s}. \ solitarius \ collected \ for \ the \ first \ state \ record \ (JH,GS).$  $\frac{RED-EYED}{con/rec--1} \frac{VIREO}{in}$  the Farmington area 10/22-23 (AN). BLACK-AND-WHITE WARBLER aut/rec--5 at Bell Lake 9/6-8 (JH,GS). GOLDEN-WINGED WARBLER uns/rec--an adult male reported at Bandelier NM 8/21 (RR), details include "two distinct black patches, the upper patch included the eye and the lower extended across the throat. The area around the patches and on the throat was white, there was a bright yellow patch on the top of the head and a distinct yellow wingbar contrasting with the gray wings and gray back." NASHVILLE WARBLER aut/rec--2 at Bell Lake 9/6-8 (JH,GS).

24

77-2

.

LUCY WARBLER uns/rec--1 east of Tularosa 6/15 was a new northeast locality (JH), and 1 at Bosque del Apache NWR 8/11 (JH,GS) where now apparently rare. NORTHERN PARULA WARBLER br/rec-a pair attempted to nest near Algodones during the period 5/31 to 7/7; on the later date, the abandoned nest contained 1 egg, nest and egg collected (DC). MAGNOLIA WARBLER aut/rec--a female at Bell Lake 9/7 (JH). <u>BLACK-THROATED GRAY WARBLER</u> sum/rec--7 near Claunch 6/26 (DC), 3 near White Oaks 6/16 (JH), and <u>1</u> near Ruidoso 6/11 (MW). YELLOW-THROATED WARBLER uns/rec--a single individual was reported 6/2 at Kirtland (CS), details include "warbler size, black and white face, black streaks on breast, black wings with white wingbars, very yellow throat." OVENBIRD sum/rec--1 flew into a window at the Gila Hot Springs and died about 6/10 (RF), specimen now at W.N.M.U. YELLOW-BREASTED CHAT uns/rec--1 near Rodeo 10/31 (RS) was late. WILSON WARBLER sum/rec--4 near Canjilon Lakes 6/29 (JH). EASTERN MEADOWLARK uns/rec--1 near Logan 6/28 (GS) was north of the usual range. WESTERN MEADOWLARK sum/rec--5 with 17 Eastern Meadowlarks east of Fence Lake and 3 with 3 Easterns near Claunch 6/26 (DC). <u>ORCHARD ORIOLE</u> uns/rec--2 reported along the Gila River near Cliff, a female 6/10 and a male 6/14 (ST,AG); con/rec--a female east of Roswell 6/17 (JH). <u>SCOTT ORIOLE</u> con/rec--1 southwest of Shiprock 6/13 (GS), and 1 near Nageesi 6/14 (AN,CS).

NORTHERN ORIOLE aut/rec--2 birds of the Baltimore (I. g. galbula) form at Bell Lake 9/6-8 (JH,GS).

. 77-2

<u>GREAT-TAILED GRACKLE</u> con/rec8 males and 12 females 10/12 at La Cienega, 3 males and 1 female at Glenwood 6/10, and present in the Mimbres Valley 6/11 (JH).
RED-EYED COWBIRD uns/reca male at Socorro 5/16-20, 6/25, and a female there 6/19; both birds photographed and remained through 7/8 (PB); con/rec1 near Gage 5/27 (TB,BH).
<u>HEPATIC TANAGER</u> con/rec2 at Mills Canyon 7/27 (JH).
<u>PYRRHULOXIA</u> con/reca female in the Arizona portion of Guadalupe Canyon 7/24 (WB).
ROSE-BREASTED GROSBEAK sum/recpresent at Farmington 7/4 (Judy Nordstrum), 1 near Corrales 6/1 (JD+), a pair at Sabinal 6/21 (DC), 2-3 at Bayard 5/30 to 6/4 (RF), 1 in the Alamo Hueco Mts. prior to 6/20 (BH+), and at Rodeo 10/5 (RS).
<u>LAZULI BUNTING</u> sum/reca male in the Sacramento Mts. 6/24 (MW) was unusual.
<u>VARIED</u> <u>BUNTING</u> uns/reca male was seen and detailed at Glenwood 6/12 (DM).
PAINTED BUNTING uns/reca male at Mesilla Dam 6/5-7 (BS,BSt,WB) and there 7/4 · (M. Weisburg - fide WB); con/rec1 at Bell Lake 9/6-8 (JH,GS).
EVENING <u>GROSBEAK</u> sum/recseveral at Cottonwood Gulch 6/8 (JH,AM), and a female in the Pinos Altos Mts. 7/21 (RF); an adult with 3 recent fledglings at La Cueva 8/10 (MS).
CASSIN FINCH uns/rec1 at Cottonwood Gulch 6/8 with several banded there during July (AM); con/rec1 at Canjilon Lakes 6/29 (JH) and 1 at Santa Fe 8/6 (WS).
AMERICAN GOLDFINCH sum/recseveral near Alameda 7/24 and 8/20 (JD).
<u>RED CROSSBILL</u> con/rec5 at Sierra Blanca 6/15 (JH)
<u>GREEN-TAILED TOWHEE</u> sum/rec1 near White Oaks 6/16 (JH,BI).
LARK BUNTING con/rec42 in Grenville 6/12 (KS).

26

<u>SAVANNAH SPARROW</u> sum/rec--a male singing near Parkview 7/11 (DBy).

<u>GRASSHOPPER SPARROW</u> con/rec--a singing male east of Cloverdale 6/25 (JM,WM) was most unusual.

BAIRD SPARROW uns/rec--1 with details at Cochiti Lake 10/9 (BI+) and at least 10 near Cloverdale with 2 collected 9/25 (JH).

<u>VESPER SPARROW</u> con/rec--9 near White Oaks 6/16 (JH,BI) and 1 at Sierra Blanca 6/5 (JH).

RUFOUS-CROWNED SPARROW br/rec--a nest with 4 small young on a hillside under a tuff of grass at Mule Creek 6/22 (JH); sum/rec--1 at Mills Canyon 7/27 (JH).

<u>CASSIN</u> <u>SPARROW</u> con/rec--1 at Bosque de! Apache NWR 6/15 and 16 east of San Antonio 6/15 (JH), 1 singing at Carrizozo 6/16 (JH), 8 in the Mimbres Valley 6/11 (JH), 28 on the Jornada Exp. Range 6/15 (WB,WP), and 1 at San Simon Cienaga 6/23, with 3 there 9/26 (JH).

BOTTERI SPARROW uns/rec--1 singing at Rodeo 6/21 with up to 4 there 6/27 (SR), 5-6 there through July (WM+); these are the first records of the species in the state.

 $\underline{SAGE}$   $\underline{SPARROW}$  con/rec--7 near Nageesi 6/18 (AN) and 5 near Torreon 6/22 (CH,DL).

BREWER SPARROW sum/rec--7 east of Fence Lake 6/9 (JH).

BLACK-CHINNED SPARROW sum/rec--5 near White Oaks 6/16 (JH).

LINCOLN SPARROW uns/rec--1 on Sierra Blanca 6/15 (JH) was the first local summer record.

<u>CHESTNUT-COLLARED LONGSPUR</u> uns/rec--at least 30 near Cabezon 10/17 (JH) were at the species northern limits in New Mexico.

77-2