Disclaimer: This file has been scanned with an optical character recognition program, often an erroneous process. Every effort has been made to correct any material errors due to the scanning process. Some portions of the publication have been reformatted for better web presentation. Announcements and add copy have usually been omitted in the web presentation. We would appreciate that any errors other than formatting be reported to NMOS at this web site. Any critical use of dates or numbers from individual records should be checked against the original publication before use as these are very difficult to catch in editing.

# NEW MEXICO

# ORNITHOLOGICAL SOCIETY

# FIELD NOTES

VOLUME 28, NO. 3

June 1 - July 31, 1989

Editor: Roland A. Goodman

Editorial Committee: Nancy Cox, Steven Cox, William

Howe, W. Burton Lewis, Paul Steel, Ross Teuber

NEW MEXICO ORNITHOLOGICAL SOCIETY

2016 Valle Rio

Santa Fe, New Mexico 87501

#### FROM THE EDITORS:

Though only two true rarities were reported, it was an abundant birding summer, with enough out of place to keep observers on their toes. The star was an adequately described female Sage Grouse, calmly strolling along a dirt road just east of the Jicarilla Apache Reservation, the first presumably wild member of the species in N.M. in about 30 years. The Veery is a very rarely reported spring migrant at the state's eastern edge, with one 1972 occurence in the Manzanos. So a Veery near the Rio Pueblo in 1988 on the Ojo Sarco Breeding Bird Survey was remarkable, and it was topped by two singing males at the same place in the 1989 survey. Breeding was possible.

Notable water birds: Bernallilo County's first breeding Wood Ducks, at Shady Lake; three Common Loons on Jemez Canyon Lake, and a Yellow-crowned Night Heron at Bosque del Apache. A pair of Mississippi Kites bred again at Albuquerque, Ospreys hatched one young at Elephant Butte Lake, and a pair of Common Black Hawks apparently nested south of Albuquerque. But raptors generally had mediocre nesting success.

A Ruddy Turnstone at Holloman Lake was a surprise. Hummingbirds did well: Blue-throated were at Carlsbad Caverns National Park, four Magnificents were at Gila Valley feeders, and there was some increase in Calliopes.

White-winged Doves were abubdant and in new locales. Among flycatchers, a Least at Ojo Caliente, Brown-crested at Glenwood, and Scissor-tailed at Boone's Draw were notable. Swainson's Thrushes were newcomers north of Chama. In the south, Phainopepla were abundant. Again, rare warblers.

Surprises: Scarlet Tanager at Bosque del Apache, Rufous-crowned Sparrow at 8,400 feet in the Sandias, end e Bobolink at Caballo Lake. In all, enough to keep birders happy, though some species, like the Red Crossbill, fell off.

BREEDING BIRD SURVEYS: Of the state's 35 Breeding Bird Surveys, a Federal program, 19 had findings cited by our editors. We report these in this style, with observers' initials: "1 on Claunch BBS 6/24 (Swi)".

### INITIALED OBSERVERS IN THIS ISSUE

CA Carol Anderson PBPat Basham JBi Jeff Bickle SB Sherry Bixler JBl James Black WGGB Warren &	PI Pat Insley R&KJ Robert & Katherine Jenness PJ Phil Johnson BL W.Burton Lewis DLy Doug Lynn Jr.	RS Robert Scholes GS C.Gregory Schmitt HS Hart R. Schwarz LHS Lorraine Schulte KS Kenneth Seyffert JS John Shipman
Genevieve Bloys		GSmi Gerri Smith
SBo Sarah Boles	BSDMc Barbara & Daniel McKnight	PSn Patricia Snider DSt Dale Stahlecker
OC David Cleary	DM Doris Miller	PSt Peul Steel
WC Wes Cook KC Karen Copeland	KM Keith Mitchell PM Peggy Mitchusson	MS Marjorie Swain
No Nai cir coperand	LM Leona Mukai	ITa lookia Tallay
RF Ralph Fisher	CW Cenila Wokat	JTa Jackie Talley RT Rose Teuber
GF Grace Flinn	AN Alan Nelson	JRT James R.Travis
MF Mark Flippo	00 Orlando Ornelas	JV James Vaught
SG Sheila Gerehen		•
_	80 Bruce Datyn	SW Steve West
LG Larry Gorbet	OCBC Otero County	JW Jack Whetatone
	Bird Club	HSRW Harvey &

CP -- Charles Painter

MP -- Mary Peckinpaugh JP -- Joanne Phillips

GP -- Gery Perker

D&RR -- Dorothy &

Richard Rosche

BH -- Bruce Hayward

LH -- Lois Herrmann

SH -- Steve Hoffman

J&NHt -- Joseph &

Nancy Hutto

JH -- John P. Hubbard

Ruth Williams

BZ -- Barry Zimmar

Zimmerman

DSMZ -- Dele & Marian

SWi -- Sartor Williams III EW -- Eleanor Wootten

#### abbreviations and symbols in text:

BBS -- Breeding Bird Survey L. -- Lake MRGV -- middle Rio Grande Valley Mt. (Mts.) -- Mountain(s) NM -- National Monument N.M. -- New Mexico NP -- National Pack NWR -- National Wildlife Refuge

R. -- River SGR -- State Game Refuge SP -- State Park v. o. -- various observers

\* -- details provided \*\* -- photograph \*\*\* -- specimen

Acoma Pueblo -- Cibola Alameda -- Bernalillo Alamogordo -- Otero Albuquerque -- Bernalillo Alcalde -- Rio Arriba Animas -- Hidalgo Aztec -- San Juan

Bandelier NM -- Sandoval. Los Alamos Bavard -- Grant Bear Canvon -- Grant Bell L. -- Lea Bill Evans L. (often Evans L.) -- Grant Bitter L. NWR (Bitter L.) -- Chaves Black Rock Cam, Zuni --McKinley Bloomfield -- San Juan Bluewater L. -- Cibola, McKinley Boone's Draw -- Roosevelt Bosquecito -- Socorro Bosque del Apache NWR (Bosque NWR) -- Socorro Brantley L. -- Eddy Burford L. -- Rio Arriba Burro Mts. -- Grant

Caballo L. -- Sierra Caprock -- Lea Capulin NM -- Colfax Carlshad -- Eddy Carlebad Caverns NP -- Eddy Chame -- Rio Arriba Chicosa L. -- Harding Clanton Canyon --Hidelgo Clayton, Clayton L. -- Union Cloudcroft -- Otero Clovis -- Curry Cochiti L. -- Sandoval Corrales -- Sandoval Cox Canvon -- Otero Crownpoint -- McKinley Cowles -- Sen Miguel

OCBC -- Otero County Bird Club Dog Canyon -- Otero Elephant Butte L. --Sierra Elida -- Roosevelt El Vado L. -- Rio Arriba Emory Pass, Black Range -- Grant Española -- Rio Arriba

> Farmington -- Sen Juan Fence L. -- Cibola Gallina Mts. -- Torrance, Lincoln Gallinas Mts. -- Socorro Gallup -- McKinley Gila R. -- Grant, Catron, Hidalgo Glenwood -- Catron Grav Ranch -- Hidalgo Grenville -- Union Guadalupe Canyon ---Hidalgo Guadalupe Mts. -- Eddy

Hachita -- Grant Hatch -- Dona Ana Hobbs -- Lea Holloman L. -- Otero Horse Springs -- Catron

Jemez Mts., etc. --Sandoval Jicarilla Apache Reservation -- Rio Arriba Jornada Valley --Dona Ana

La Cueva -- Sendovel Laguna Granda -- Eddy La Jova SGR -- Socorro L. Avalon -- Eddy Lake Peak -- Santa Fe L. Roberts -- Grant L. Stinky -- Otero Lekewood -- Eddy Las Cruces -- Dona Ana Las Vegas -- San Miguel Los Alamoe -- Los Alamos Los Lunas -- Valencia Loving -- Eddy

Megdalena Mts. -- Socorro Malaga -- Eddy Mangas Springs -- Grant Maxwell NWR -- Colfax McAllister L. -- San Miguel Mogollon Creek -- Grant Morgan L. -- San Juan Mule Creek -- Grent

Nageezi -- San Juan Nava io L. --San Juan Nutt -- Luna Ojo Caliente -- Rio Arriba & Taos Otis -- Eddy Pecos -- Sen Miguel Percha Dam SP -- Sierra Pleasanton -- Catron Post Office Canyon -- Hidalĝô Quemado -- Catron

Randall Davey Nature Center -- Santa Fe Rattlesnake Springs -- Eddy Redrock -- Grant Ribera -- San Miguel Roberts L. -- Grant Rodeo -- Hidalgo Roy -- Herding

Sabinoso -- San Miguel Sacremento Mts. --Oteco San Antonio -- Socorro Sendia Mts. -- Bernalillo San Francisco R. --Catron San Ildefonso Pueblo -- Senta Fe San Jon -- Quay San Marcial -- Socorro San Meteo Mte. --Socorro

189-3 (summer 189)

Santa Fe -- Santa Fe
Sana -- San Miguel
Sevilleta NWR -- Socorro
Signal Peak -- Grant
Silver City -- Grant
Slaughtar Canyon, Carlabad Cav. NP -- Eddy
Snow L. -- Catron
Socorro -- Socorro
Stone L. -- Rio Arriba

Tierra Amarilla -Rio Arriba
Torreon -- Sandoval
Trujillo Canyon -- San
Miguel
Truth or Consequences
-- Sierra
Tularosa -- Otero

Villanueva -- San Miguel

Virden -- Hidalgo Wagon Mound -- Mora Water Canyon, Magdalena Mts. - Socorro Waed -- Otero

Zuni Mts. -- Cibola, McKinley Zuni Reservation (Zuni for short) -- McKinley

### SPECIES ACCOUNTS

COMMON LOON -- unusual: 3 at Jemez Canyon L. 7/23 (GP, fide HS).

PIED-BILLED GREBE -- breading: Adult and young at Cass Draw,between Otis and Loving in Eddy County, 7/9, 14 (SW)....8 on 6/7, 3 on 7/22 and 1 on 7/24 (CR, PI) at Les Vegas NWR; 3 on 7/15 (PI), 6 on 7/10 and 1 on 7/30 (PJ) at Bosque NWR; 1 at Holloman L. 6/24 (CR).

EARED GREBE -- breeding: 200+ on 6/1, and 500 and 3 nests at Burford L. 7/15 (BL). At Zuni, nesting by 6/15 and young by 7/30, with maximum of 185 nests 6/28 (DC)....49+ on 6/7, 17 on 7/22 (CR) and 3 on 7/24 (PI) at Las Vegas NWR; 3 on 6/1 at Bosque NWR (RT); 2 on 7/10, 23 at Holloman L. (JBi).

WESTERN GREBE -- 20 at Caballo L. and 4 at Elephant Butte L. 7/24 (DC).

<u>CLARK'S GREBE</u> -- Singles on 6/15 (JH+) and 7/24 at Las Vegas NWR (JH, PI, CR); 50 at Caballo L. 7/24 (DC).

AMERICAN WHITE PELICAN -- 2 at Bluewater L. 7/2D (DC); at Bosque NWR, 8 on 6/30 (RT), 3 to 4 on 7/3 and 10+ on 7/30 (PJ), and 50 on 7/15 (PSn, PI).

<u>DOUBLE-CRESTED CORMORANT</u> -- 1 on 7/3 at Black Rock Dam (DC). 1 flying over reservoir at Santa Fe 7/2D (CR). 1 to 22 at Las Vegas NWR 6/7, 6/17 and 7/24 at Las Vegas NWR (CR, PI); 27 to 30+ at Bosque NWR (RT, PB, PI). 1 or 2 at L. Roberts and Bear Canyon L. 7/17 (RF). 1 on 6/29 and 4 on 7/2D at Percha Dam (DM).

OLIVACEOUS CORMORANT -- 1 to 10 at Bosque NWR 6/30-7/30 (RT, OC, PI, PJ).

AMERICAN BITTERN -- Singles heard 6/1 and 7/13 at Bosque NWR (RT).

LEAST BITTERN -- 1 on 7/3 (PJ) and 2 on 7/8 (DC) at Bosque NWR.

GREAT BLUE HERON -- breeding: 12 nests with young at Glenwood 6/1 (RF, JH); 2 adults, 2 juveniles at Bear Canyon L. 7/17 (RF)....1 to 19 on 6/1 to 7/30 at Bosque NWR (v.o.). 1 in Guadalupe Canyon 6/20 (SWi). 2 on 7/10 and 23 at Holloman L. (JBi).

GREAT EGRET -- 1 to 12 on 6/1 to 7/30 at Bosque NWR (4 observers).

SNOWY EGRET -- 1 at Cochiti L. 7/21 and 28, and 1 at old Corrales Bridge  $\frac{7}{30}$  (PSt)...peak of 121 on  $\frac{7}{13}$  and down to 2 on  $\frac{7}{30}$  at Bosque NWR (v.o.).

LITTLE BLUE HERON -- 1 at Bosque NWR 7/3 (PJ).

TRICOLORED HERON -- 1 at Bosque NWR 6/2 and 1 near Loving 6/7, 8 (SW).

CATTLE EGRET -- Singles to 6 at Bosque NWR 6/1-7/23 (John Hirth, RT. OC); 20 north of Socorro 7/15 (SW).

GREEN-BACKED HERON -- 1 at Djo Caliente 6/4 (CR), 1 at San Ildefonso pond 7/7 (PSn), also singles at Bosque NWR 6/1, 7/13 (RT), at Holloman L. 6/24 (CR), and Rattlesnake Springs 7/6. 7 and 14 (SW).

BLACK-CROWNED NIGHT HERON -- 7 on 6/7 (CR) and 1 on 7/24 (PI) at Las Vegas NWR. 1 to 27 at Bosque NWR 6/1 to 7/30 (RT, PI, PJ).

YELLOW-CROWNED NIGHT HERON -- unusual: 1 at Bosque NWR 6/28 (LG).

WHITE-FACED IBIS -- 1 or 2 at Zuni 6/11, 15 (DC). 13 on 6/7 at Las Vegas NWR (CR). 1 to 26 at Bosque NWR 6/28-7/30 (v. o.). 3 on 7/10 at Holloman L. (JBi).

SNOW GOOSE -- 1 late on 6/30 at Bosque NWR (RT).

 $\frac{\text{CANADA GODSE}}{\text{NWR.}}$  =- 2 on 6/7, 65 on 7/20 and 40 on 7/24 (PI, CR) at Las Vegas NWR. 6D+ on 7/15 (PI), 2O+ on 7/20 and 1O+ on 7/30 (PJ) at Bosque NWR.

WOOD DUCK -- breeding: 2 hens, one with 6 ducklings, at Shady Lakes, Alameda, first breeding record for Bernalillo County (JP).

GREEN-WINGED TEAL -- 5 on 6/10 in Rio Arriba (CR) and at Zuni 6/18 (DC). 3 on 6/7 at Las Vegas NWR (CR).

MALLARD -- Widespread and often numerous across the state, from the Jicarilla Reservation to Rattlesnake Springs. Noted on the Farley, Valencia and Cloudcroft BBSes. High counts: 22 on 6/10 in northwest Rio Arriba and 16 on 7/21 at 0jo Caliente (CR), 100+ on 6/1 and 20+ on 7/24 at Las Vegas NWR (PI, CR), and 8 at Cox Canyon 7/17 (OCBC).

NORTHERN PINTAIL -- 2 on 6/10 in Rio Arriba County, 2 on 6/7 at Las Vegas NWR (CR).

BLUE-WINGED TEAL -- 3 on 6/10 in northwest Rio Arriba and 1 to 15 at Las Vegas NWR in June and July (CR, PI); 2 on 6/15 at Black Rock (DC), and 1 on Logan BBS 6/27 (Antonio Gennaro).

CINNAMON TEAL -- 7 on 6/10 in nw. Rio Arriba and Jicarilla Reservation (CR); 15 on 6/7 and 1 on 7/22 at Las Vegas NWR (CR); 10+ on 7/30 at Bosque NWR (PJ), and 8 at Cass Draw, Eddy County, 7/14 (SW).

NORTHERN SHOVELER -- 1 on 6/10 in Rio Arriba and 9 on 6/7 at Las Vegas NWR (CR); 1 on 7/30 at Bosque NWR (PJ).

GADWALL -- 13 in nw. Rio Arriba and on Stone L., Jicarilla Reservation on 6/10 (CR); 9 on 6/7 and 4 on 7/24 at Las Vegas NWR (PI, CR); 3 on 6/1 at Bosque NWR (RT), and 1 at Holloman L. 6/24 (CR).

AMERICAN WIGEON -- 2D on 7/21 at Black Rock Dam (DC); 2 at Bosque NWR 7/30 (PJ); 1 in Cox Canyon 7/17 (DCBC), and 1 on Cloudcroft BBS 6/24 (CR).

CANVASBACK -- breeding: Pair with 4 young on Bernardin L. southeast of Taos 6/25 (Rich Garcia)....Singles 6/7, 6/17 and 7/24 at Las Vegas NWR (CR. PI).

RING-NECKED DUCK -- 1 on 6/10 in nw. Rio Arriba and 2 on 6/14 at Black

COMMON GOLDENEYE -- Singles at Case Draw 7/9 and 8/2 (SW); second summer record for Eddy County (SW). 1 on 7/23 s. of Loving (DSRR) was probably the same bird.

BUFFLEHEAD -- 1 at Black Rock 6/15 (DC).

RUDDY DUCK -- breeding: Pair all summer at Cass Draw, Eddy County, with young present through July....30 on 6/14 at Black Rock (DC); 12 on 6/7 and 20 on 7/24 (CR, PI) at Las Vegas NWR; 4 on 7/15 (PI) at Bosque NWR; 5 on 6/24 (CR) and 25 on 7/21 (JBi) at Holloman L.; also near Loving (SW).

OSPREY -- breeding: Pair nested at Elephant Butte L., with one young in the nest 7/4 (fide RF).

MISSISSIPPI KITE -- breeding: A pair in Albuquerque 7/6, including a brooding adult at the nest (Penny Elliston).

NORTHERN HARRIER -- unusual: Stragglers around the state included singles at Zuni 6/1 and near Acoma (date not noted) (OC); s. of Fort Sumner 6/16 and at Bitter L. 6/6 (SWi); north of Rodeo 7/16 (Carl Haynie), near Animas 6/2 (RS), s. of Las Cruces 6/25 (CR), and at Carlsbad Ranger Station 6/2 (fide MF).

NORTHERN GOSHAWK -- Singles near Los Alamos 7/1 (CR), on Claunch BBS in Lincoln County 6/24 (SWi), in San Mateo Mts. 7/10 (PJ), and on Cloudcroft BBS 6/24 (CR).

COMMON BLACK HAWK -- breeding: A pair in the Rio Grande bosque south of Albuquerque thought to be nesting (no details) 5/1 (SH); 4 nests on the lower Gila fledged one young each in early July (RF).

HARRIS' HAWK -- unusual: 1 at upper end of Elephant Butte L. 7/12 (J. Burton, R. Roy)...."Numbers seem to have dropped sharply in Eddy County" (SW).

SWAINSON'S HAWK -- A flock of 2 to 60 seen daily along Mangas Creek 6/15-7/13 (RF).

ZONE-TAILED HAWK -- breeding: The pair nesting in Sycamore Cenyon, Grant County, fledged only a single offspring (RF).

REO-TAILEO HAWK -- breeding: 11 nests in the Silver City-Gila Valley area
produced only 6 young, 2 each in 2 nests, and 1 each in 2 others (RF).

AMERICAN KESTREL -- Pair at Malaga 6/22; rare in summer in lowland Eddy County (SW).

MERLIN -- unusual: Adult male in Zuni Mts (no details) 7/16 (SH).

PRAIRIE FALCON -- breeding: Adult with a fledged young at Bosque NWR 6/30 (RT+1).

SAGE GROUSE -- unusual: Apparent female seen closely-onigoute 95. just east of the Jicarilla Apache Reservation, on 6/28 (Walton Hawk). The description and habitat suggested this species. The origin of this bird is unknown, as introductions into the area, starting in 1933, ended in 1958, and the species was believed to be extirpated in New Mexico.

<u>WILD TURKEY</u> -- 30 in Zuni Mts. 6/29 (DC); 4 in Guadalupe Canyon during June (OC) may have been released or escapes; 1 at Rattlesnake Springs 6/2 (fide MP); 1 on Claunch BBS 6/14 (SWi).

MONTEZUMA QUAIL -- breeding: A pair at Mangas Springs had 9 chicks on 7/23 (RF)...2 at Gils 6/6 (Stephen MacDonald).

NORTHERN BOBWHITE -- 13 on Cooley L. BBS 6/16 (SWi); 19 at Rattlesnake Springs 6/18 (BO) gave an indication of the size of that population; good numbers were in southern Eddy County.

SCALED QUAIL -- 2 on Torreon BBS 6/10 (CR); 13 on Sabinoso BBS 6/17 (CR); 2 at Zuni 6/11 (DC).

GAMBEL'S QUAIL -- 36 on Aztec BBS 6/10 (DC).

VIRGINIA RAIL -- breeding: Two adults and one young on 6/15, four on 7/11 at Black Rock Dam (DC).

 $\underline{SORA}$  -- 3 on 7/29 at Black Rock Dam (DC); 1 on 7/24 at Las Vegas NWR (PI); 1 on 6/1 and 2 or 3 calling 7/30 at Bosque NWR (RT, PJ); 1 on Cloudcroft BBS 6/24 (CR).

COMMON MOORHEN -- 1 on 6/1 and 2 on 7/13 (RT), 1 on 7/3 (PJ) end 1 on 7/8 (DC) at Bosque NWR.

AMERICAN COOT -- Generally abundant, as usual. Some high counts: 40+ on 6/10 in northwest Rio Arriba (CR); 200+ in June and July at Black Rock Dam (DC); 78+ at Las Vegas NWR on 7/22 (CR); up to 20 at Bosque NWR (v. o.), and a scattering in Eddy County (SW).

SNOWY PLOVER -- breeding: 35 with 5 active nests 6/6-7 at Bitter L. (SWi), ...Also southeastern, 10 on 7/25 at L. Stinky(DC), 24 on 6/24 at Holloman L. (UBi), and, in Eddy County, 4 on 7/7 at Salt Lakes (DC), 42 on 6/8 and 30 on 7/9 at Laguna Grande, and 10 on 6/8 and 25 on 7/9 at Five-Mile L. (SW).

SEMIPALMATED PLOVER -- 3 at Bitter L. 6/6 (SWi).

<u>KILLDEER -- breeding</u>: Active nest 6/6 at Bitter L. (SWi)....Widespread, including 1 at Gray Ranch 6/18 (SWi), on 8 BBSes, and with numerous other reports statewide (v. o.).

MOUNTAIN PLOVER -- breeding: 2 adults with 3 chicks were reported 20 miles southwest of Clayton 7/16 (fide WC)....2 on Grenville BBS 6/11 (KS) and 2 on Las Veges BBS 6/16 (JH).

BLACK-NECKED STILT -- breeding: 15 plus one active nest with a brood on 6/6-7 at Bitter L. (SWi)....3 on 7/10 at Holloman L. (JBi), 30 on L. Stinky 7/25 (DC), and many reports from Bosque NWR (v.o.).

AMERICAN AVOCET -- breading: 2 broods in Chaco Canyon NM area in June (Jim Ramakka); 30 plus 6 active nests and broods of 2 and 4 on 6/6-7 at Bittar L. (SWi)....1 near Crownpoint 6/25 (GS); 2 on 6/7 (CR) and 5 on 7/24 (PI) at Las Vegas NWR; 75 at L. Stinky 7/25 (DC); 2 to 21 on 6/24 to 7/23 at Holloman L. (v.o.), and numerous at Bosque NWR (v. o.).

GREATER YELLOWLEGS -- 7 at Clayton L. in June (WC); 1 or 2 in July at 81ack Rock (DC); 3 to 10+ at Bosque NWR 6/30-7/30 (v. o.); 5 on 7/25 at L. Stinky (DC), and 1 n. of Otis 7/9 (SW).

LESSER YELLOWLEGS -- 1 to 6 in July at Black Rock Dam (DC); 4 to 6 at Las Vegas NWR in July (PI, CR); 10+ on 7/30 at Bosque NWR (PJ); singles in July at Holloman L. (JBi), and 25 on 7/25 at L. Stinky (DC).

SOLITARY SANDPIPER -- Singles 7/10, 25 at 81ack Rock (DC) and 7/22, 24 at Las Vegas NWR (PI, CR); 1 on 7/13 (RT) and 3 on 7/30 (PJ) at Bosque NWR.

WILLET -- 4 at Clayton L. in June (WC); 1 on 6/24 at Holloman L. (CR).

SPOTTED SANDPIPER -- Singles 6/10 on the Jicarilla Reservation and 6/7 and 7/21 at 0jo Caliente (CR); 1 to 6 in June and July at Biack Rock dam (DC); 1 on 7/8 at La Cueva (PI); 1 in July at Santa Fe reservoir (LH), and 1 to 30 in June and July at Bosque NWR (v. c.).

UPLAND SANDPIPER -- 1 calling in flight s. of Carlsbad 7/20 (SW).

<u>LONG-BILLED CURLEW</u> -- 7 on Las Vegas BBS 6/16 (JH); singles at Holloman L. 6/9 and 7/10 (JBi) and on 7/25 at L. Stinky (DC).

RUDDY TURNSTONE -- unusual: 1 on 7/27 at Bitter L. (DSRR).

WESTERN SANDPIPER - 2 to 14 through July at Black Rock dem (DC); 7 or 8 at Bosque NWR 7/30 (PJ); 1 at Bitter L. 6/5 (SWi); 100 on 7/25 at L. Stinky (DC); 6 on 7/10 and 11 on 7/25 at Holloman L. (JBI).

<u>LEAST SANDPIPER</u> -- 12 on 7/11 at Black Rock dam (OC); 1 on 7/29 at Santa Fe (CR); 26 on 7/23 at Holloman L. (JBi); 100 on 7/25 at L. Stinky (DC); 6 on 7/9 at Laguna Grande (SW).

BAIRD'S SANOPIPER -- 8 on 7/27 & 7/29 at Black Rock (DC); 4 at Santa Fe 7/29 (CR); 15+ on 7/30 at Bosque NWR (PJ); 40 on 7/25 at L. Stinky (DC).

PECTORAL SANDPIPER -- 1 on 7/22 at Las Veges NWR (CR).

STILT SANDPIPER -- 5 at Bosque NWR 7/30 (PJ); 5 on 6/5 at Bitter L. (SWi).

SHORT-BILLED OOWITCHER -- Singles 7/10 and 29 at Black Rock (DC).

LONG-BILLED DOWITCHER -- 5 on 6/1 (RT) and 30+ on 7/30 (PJ) at Bosque NWR; 85 on 7/16 at Bitter L. (SW); 20 on 7/25 at L. Stinky (DC).

WILSON'S PHALAROPE -- Widespread as usual. 2 to 4 in July at Black Rock (DC); 18 in Las Vegas-Wagon Mound-Roy area in late June (JH); 16 on 6/5 (SWi) and 70 on 7/16(SW) at Bitter L.; 30 on 7/25 on L. Stinky (DC); lesser numbers elsewhere (v. o.).

CASPIAN TERN -- unusual: 1 at McAllister L. 7/30 (CR, Gladys Donohue); 2 at Bitter L. 7/25-26 (D&RR).

FORSTER'S TERN -- Only reports, 2 on 7/15 (PI, PSn) and on 7/30 (PJ+) at Bosque NWR.

LEAST TERN -- breeding: At least 3 pairs nesting s. of Bitter L. 6/7 and in mid-July (SWi).

BLACK TERN -- 1 at Zuni 6/11 (OC); 2 at Las Vegas NWR 7/24 (PI, CR); 3 s. of Alamogordo 7/25 (DC); 2 at Clayton L. 6/2 (WD), and 4 at Bitter L. 6/5 (SWi).

BANO-TAILED PIGEON -- unusual: A vagrant was at Bosque NWR 6/14 (JB1).... Species was abundant in the Sandia Mts. this summer (HS) and 8 were in Oog Canyon near the N.M.-Texas state line 7/8 (SW).

WHITE-WINGED DOVE -- unusual: 1 was singing in Albuquerque's north valley 6/13-26 (BO) and 4 were with a group of several Band-tailed Pigeons at a campground in upper Gallinas Canyon 7/14 (HSRW) at about 5,000 feet... breeding: Adult incubating eggs on a nest in Hillsboro 6/25 (BO), a late date or possibly a second clutch....Present in "good numbers" in Carlabad in June-July (SW); maximums of 25 in Socorro 7/30 (PJ), 16 at Truth or Consequences 6/22 (DM) and 33+ in Guadalupe Canyon 6/19 (SWi,KC).

YELLOW-BILLED CUCKOO -- unusual: 1 found dead near Clayton 6/2 (WC).... breeding: A pair in the Gila Valley produced at least 2 fledglings (RF).
...Arrived late in Silver City area, first on 6/24, but not at Mangas Springs until 7/22 (RF).

GREATER ROADRUNNER - Singles on Grenville 88S 6/11 (KS), between Wagon Mound and Roy 6/16 (JH) and at Zuni 7/20 were north of normal locales.

FLAMMULATED OWL -- 1 near Zuni 6/29 (DC); 1 in San Mateo Mts. 7/20(PJ).

WESTERN SCREECH OWL -- breeding: 4 young fledged at Mangas Springs 7/21 (RF)...."This species is seldom observed in Eddy County except as a winter migrant. But a survey of Big Canyon (Carlsbad Caverns NP) in June found the species to be fairly common in the bottom of the canyon in deciduous woodland. At least 5 were calling in the bottom of the canyon's south fork 6/18. (SW, 00)". Another pair was heard calling from Gray Ranch headquarters 6/18 (G. Duran).

WHISKEREO SCREECH OWL -- unusual: 1 in Burro Mts. (no details) in June(OC).

NORTHERN PYGMY OWL -- 1 in Water Canyon, baing harassed by a Mountain Chickadee. 7/28 (PJ).

<u>ELF OWL</u> -- <u>unusual</u>: At least 16 counted in Guadalupe Canyon 6/18-19 (SWi, KC); 3 there 6/27 (LG).

SPOTTED OWL -- 1 calling in Big Canyon 6/18 (SW, 00); first report from this area. 1 or 2 at Zuni 6/4-7/4 (DC). 1\* in San Mateo Mts. 7/20 (PJ).

NORTHERN SAW-WHET OWL -- 1 in Hauser Canyon near Zuni 6/29 (DC).

COMMON NIGHTHAWK -- unusual: 1 in Guadalupe Canyon 6/18 (SWi, KC).

WHIP-POOR-WILL -- unusual: 1 in Post Office Canyon 6/11 (RS). Rare there.

BLACK SWIFT -- unusual: About 12 at Lobo Lodge, Rio Arriba County, 6/20, 30; good details (JB1).

CHIMNEY SWIFT -- unusual: A vagrant near Albuquerque was westerly 6/15\* [JB1]....Numbers down in Clayton, possibly due to extremely dry weather {WC}.

BROAD-BILLED HUMMINGBIRD -- 3 or 4 males and 2 females in Guadalupe Canyon 6/19-20 (SWi, KC); 2 males and 2 females there 6/27 (LG).

VIOLET-CROWNED HUMMINGBIRD -- At least 4 males and 2 females in Guadelupe Canyon 6/19-20 (Swi, KC) and 2 on 6/27 (LG).

<u>BLUE-THROATED HUMMINGBIRD -- unusual</u>: 1 male in Big Canyon, Carlsbad Caverns NP, 7/5, well described (SW); apparently 3rd record for area.

MAGNIFICENT HUMMINGBIRD -- unusual: 4 at feeders in Gila-Bayard-L. Roberts area 6/1-7/17 (RF+).

LUCIFER HUMMINGBIRC -- unusual: 2 females in Clanton Canyon 6/27 (LG). A possible individual of this species reported from Bayard in July, but was undocumented (fide RF)...Usual 10 to 12 active at feeders in Post Office Canyon throughout June-July (RS).

CALLIOPE HUMMINGBIRD -- unusual: 1 at Bosque NWR 7/3D {PJ}...Increased number of reports included 1 or 2 near Clayton 7/12-29 (0. Mock, fide WC); near Carlsbad 7/23 (DERR); at Zuni 7/26-8/1 (DC), and Post Office Canyon (date not stated) (RS).

LEWIS' WOODPECKER -- 1 on Farley BBS 6/11 (KM).

REO-HEADEO WOODPECKER -- 3 at Fort Summer and 2 at Boone's Draw 7/13 (DC).

ACORN WOODPECKER -- unusual: 1 at Mangas Springs 7/27 (RF) was the first there in 7 years.

GILA WOODPECKER -- 3 on Animas Creek in northern part of Gray Ranch 6/18 (SWi, KC).

LADDER-BACKED WDDDPECKER -- Singles at Ojo Caliente 6/4 and 7/20 (CR) were at northern limit of range.

DOWNY WOODPECKER -- 1 at Bosque NWR 5/1 (RT, PB).

THREE-TOED WOODPECKER -- A male in Zuni Mts. 7/19 (DC).

NORTHERN BEARDLESS TYRANNULET -- 2 singing in Guadalupe Canyon 6/19-20 (KC, SWi).

OLIVE-SIDED FLYCATCHER -- 1 near Cloudcroft 6/24 (CR).

GREATER PEWEE -- 1 at McMillen campground about 6/24 (DC).

WILLOW FLYCATCHER -- A few singing in Chama area during period (LHS). Also 1 to 2 singing at Zuni 6/14-7/31 (DC) and at Bosque NWR 6/1, 15 (PB+).

 $\underline{\text{BLACK PHOEBE}}$  -- Five, including a fledgling, were northerly at 0jo Caliente 6/4, plus 5 on 7/21, and 1 at Las Vegas NWR 7/20 (CR). Also, 1 in Ribera-Sena area 6/15 (JH) and 3 in Zuni 6/1 and 7/11 (DC).

BRDWN-CRESTED FLYCATCHER -- 2 at Glenwood and 1 at nearby Catwalk 6/1 (JH).

THICK-BILLED KINGBIRD -- 1 to 2 pairs in upper Guadalupe Canyon 6/19-20 (KC, SW1).

EASTERN KINGBIRD -- 1 at Alameda 6/11 (JP).

SCISSOR-TAILED FLYCATCHER -- breeding: Single nests near Caprock 6/7-8 (SWi) and in Malaga area 6/11 and 7/7 (SW+)....2 w, of Boone's Draw 7/13 (OC).

PURPLE MARTIN -- 2 near Gila the last week of July (Stephen MacDonald) could have been early migrants.

TREE SWALLOW -- breeding: Pair at a nest at Quemado L. 6/3 (JH)....l at Bosque NWR 6/1 (PB, RT).

VIOLET-GREEN SWALLOW -- Apparently still mlgrating first week of June, with 2 at Bosque NWR (PB, RT), 1 at Horse Springs (OC) and several at Mangas Springs.

BANK SWALLOW -- 2 at 0jo Caliente 6/4 (CR) could have indicated a nesting colony in the area.

<u>CLIFF SWALLOW --</u> <u>breeding</u>: Nesting on buildings in Alamogordo and Weed [RSKJ]....] with a dark forehead at Bosque NWR 7/15 (PSn) was presumably <u>Hirundo pyrrhonota minima</u>.

CAVE SWALLOW -- Numbers stable at Carlsbad Caverna NP, but breeding was later and less productive than last year (SW). Up to 20 in Big Canyon 6/19 and 7/4-5 (SW).

BLUE JAY -- 8 at Fort Summer 7/13 (DC).

PINYON JAY -- unusual: 1 at 12,400 feet on Lake Peak was high (JH).... 2 at Sabinoso 6/17 (CR) were easterly, and up to 136 were sean on the Carrizozo BBS (Jicarilla Mta.) 6/21 (SWi), and 40 at Manges Springs 7/20 (RF).

CLARK'S NUTCRACKER --Up to 8, including 2 juveniles, in the Zuni Mts. 6/28-30, plus 3 to 6 in Diener Canyon, Cibola County, 7/18-19 (DC); species also common at 7,500 to 8,500 feet in the Sandies during the seeson (HS).

BLACK-BILLEO MAGPIE -- 27 at Cochiti L. outlet 7/21 (PSt) was a high count for that area.

AMERICAN CROW -- A pair attacked a grackle nest with young in Albuquerque, where they are uncommon in summer. 10 were at Farley 6/11 (KM) and 2 at Grenville 6/11 (KS) on BBSes, plus 2 in the Gallinas Mts. 6/21 (SWi, KC). Several at Bluewater L. 7/20 and in the Zuni Mts. 6/4, 6/11 (DC).

CHIHUAHUAN RAVEN -- A group of 4 (1 calling) were at Sabinoso 5/17 (CR, Evan Spiegel). 13 on the Valencia 8BS 6/1 (HS) was a high count for the MRGV.

COMMON RAVEN -- unusual: 44 about 10 miles east of Bloomfield on US64 6/10 was an unusual number for a small area in summer.

BRIDLED TITMOUSE -- 3 in Cold Springs Canyon, San Mateo Mts., 7/20 (PJ); 5 in the Magdalena Mta. 6/4 (JB1+).

<u>VERDIN</u> -- Proved to be very common in Pecos River velley canyons 15 miles east ofMalaga, though uncommon in the rest of Eddy County (SW). 2 on Jornada BBS 6/25 (CR).

RED-BREASTED NUTHATCH -- 1 in Santa Fe 7/13 (LH); 2 at Rendall Davey 7/19 provided the observer;s first summer record there (CR); 4 in Magdalene Mts. 6/4 (JB1+); 2 in the Gallinas Mta. 6/24 (SWi). and 13 on Cloudcroft BBS 6/24 (CR).

CACTUS WREN -- 1 seen in Magdalena mta. 6/4 (JBl+) above 6,000 feet.

<u>BEWICK'S WREN</u> -- <u>unusual</u>: Pair at Rattlesnake Springs 7/7 (Alan Roberts, SW); uncommon in lowlands....<u>Breeding</u>: Adult feeding young at Bosque NWR 5/15 (RT, PB).

GOLDEN-CROWNED KINGLET -- breeding: Common at Sandia Crest, with 6 juvenals there 7/19 (HS); 8+ young about to fledge near Taos Ski Valley 7/15 (B0).... 17 on Cloudcroft BBS 6/24 (CR); 1 or 2 in Magdalena Mts. 6/4 (JB1); 1 or 2 in San Mateo Mts. 7/16 and 24 (PJ).

RUBY-CROWNED KINGLET -- breeding: Adult feeding fledgling at Cowles 7/22 (CR, LH)....17 at Capulin Springs 7/19 (PSt); 15 in San Mateo Mts. 7/19 (PJ).

BLUE-GRAY GNATCATCHER -- breading: A nest in Big Canyon was apparently the first for Eddy County, though nesting has been long suspected (SW)\*Female feeding young at Sevillata NWR 6/8 (RT)....two 3D miles e. of Bloomfield 6/10 (CR); 3 on Negeezi BBS 6/14 (GS); 1 ten miles e. of Sabinoso 6/17 (CR, Evan Spiegel); 13 in Magdalena Mts. 6/4 (JBl+).

WESTERN BLUEBIRD -- 5 on Farley BBS 6/11(KM), near eastern limit.

MOUNTAIN BLUEBIRD -- 2 at Trujillo 6/17 (CR, Evan Spiegel) were also near eastern range limit.

TOWNSEND'S SOLITAIRE -- 2 on Farley 88S 6/11 were also at eastern limit of range. Singles in Zuni Mts. 6/3 (DC) and Cold Springs Canyon, Sen Mateo Mts..7/10 (PJ).

<u>VEERY</u> -- <u>unusual</u>: 2 males were singing on the Ojo Sarco BBS 6/28 (JRT) for the second consecutive year. Species is extremely rare away from eastern edge of state. There is a possibility of breeding.

<u>SWAINSON'S THRUSH</u> -- 2\* singing near Lobo Lodge 6 miles north of Chama 6/21 (JB1+); identified by call and head details.

AMERICAN ROBIN -- 8 at Bosque NWR 6/1, 30 and 6 there 7/13 (RT, PB) were unusually few. Singles on Farley BBS 6/11 (KM) and at Sabinoec 6/17 (CR, Evan Spiegel) were easterly.

SAGE THRASHER -- 1 on Aztec BBS 6/10 (DC); 1 on Torreon BBS 6/10 (CR); 1 on Nageezi BBS 6/14 (GS); 4 on Fence L. BBS 6/7 (DC).

BENDIRE'S THRASHER -- 1 on Nageezi 885 6/14 (GS), 4 on Torreon 885 6/10 (CR), 11 on Cerro Verde 885 6/12 (DC); 5 on Sen Augustin Plains 885 6/1 (JS).

PHAINOPEPLA -- breeding: At least one pair nested at Blackrock Canyon, with up to 5 on 6/17 and 8 on 7/16 (DC). First breeding record for northwestern N.M., and second consecutive year epecies has been present....Other northerly records at Sevilleta NWR, Bosque NWR, Socorro, Bosquecito and High Rolls (v.o.). Unusually numerous in Eddy County, but low numbers in Big Canyon, where regular (SW). 1 on Gage BBS 5/31 (BH) and 75 to 100 in Guedalupe Canyon 6/18-20 (SWi, KC).

BELL'S VIREO -- Below-normal 4 singing in Guadalupe Canyon 6/18-20 (SWi, KC). Slight increase at Rattlesnake Springs and Dark Canyon, Eddy County (SW).

GRAY VIREO -- Northerly, 2 et Zuni 6/28 (OC), singles east of Bloomfield (CR) and near Placitae 6/24 (GP, fide HS). Very high 20 to 25 pairs in Big Canyon, Eddy County, on 6/18-19 end 7/4-5, primarily in hackberry and little walnut stands in the bottoms (SW). The Guadelupe Mountains may well have N.M.'s highest density of the species.

SOLITARY VIREO -- Present in Big Canyon's ponderosa pine zone, above 5,000 feet, in June end July (SW). 1 in Guadalupe Cenyon 6/19 (KC, SWi).

ORANGE-CROWNED WARBLER --4 from Pecos to Cowles 7/22; 1 in Jemez Mts. 7/23 and 1 on Cloudcroft BBS 6/24 (all CR+).

VIRGINIA'S WARBLER -- 1 in Trujillo Canyon 6/16 (JH) at east edge of its nesting range; 1 at Bosque NWR 7/30 (PJ+) was a migrant.

NORTHERN PARULA -- 1 at Rattlesnake Springs 7/24 (DSRR).

YELLOW-RUMPED (AUDUBON'S) WARBLER -- 40 on Cloudcroft BBS 6/24 (CR); 5 in the Gallinas Mts. 6/24 (SWi); 1 on Torreon BBS 6/10 (CR) was late.

BLACK-THROATED GRAY WARBLER -- 1 or 2 at Randall Davey 7/8 & 19 (CR+), unusual there so late in summer; 12 in Magdalena Mts. 6/4 (JB1+).

GRACE'S WARBLER -- breeding: Adult feeding fledgling near Terrerro (Pecos Valley) 7/22 (CR, LH). 2 at Bandelier 7/1 (CR+) were feeding 2 fledgling cowbirds....29 in Magdalena Mts. 6/4 were low (JBl+).

AMERICAN REDSTART -- 1 at Rio Grande Nature Center 7/13 (GP, fide HS).

WORM-EATING WARBLER -- unusual: 1 in Black Rock Canyon 7/23 (DC, JT).

OVENBIRD -- 1 at Farmington 6/9 (DC).

MacGILLIVRAY'S WARBLER -- 1 at San Cristobal 6/3 (PI+); adult feeding fledgling at Cowles 7/22 (CR, LH); 1 in Santa Fe 6/4 and 1 on Cloudcroft BBS 6/24 (CR).

COMMON YELLOWTHROAT -- 4 on Clouderoft BBS 6/24 (CR).

WILSON'S WARBLER -- Singles at Santa Fa 6/3-4, at 0jc Caliente 6/4 and Randall Davey 7/18 (CR), and at Black Rock bosque 7/31 (DC).

RED-FACED WARBLER -- Only 2 found in Magdalena Mts. 6/4 (JB1).

YELLOW-BREASTED CHAT -- Singles at Bandelier NM 6/15 and 7/4 (Marge Cash and CJe); 1 on Sabinoso BBC 6/17 (CR).

OLIVE WARBLER -- 1 at Signal Peak sometime in June (DC).

SCARLET TANAGER -- unusual: A male at Bosque NWR 6/1 (RT) and 6/6 (J. Hirth).

NORTHERN CARDINAL -- breeding: 1 and probably 2 mests at Mangas Springs (RF)....2 males at Rettlesnake Springs 7/24 (DBRR).

PYRRHULOXIA -- 1 at Bosque NWR 7/15 (PI, PSn) was northerly for meason.

ROSE-BREASTED GROSBEAK -- unusual: Vagrant at Mangas Springs 7/20-25 (RF).

BLACK-HEADED GROSBEAK -- 3 at 10,000 feet on Sandia Crest 7/12 (JB1, TH) were high; northeasterly were 1 on Sabinoso BBS 6/17 (CR) and 2 in Tru-jillo Canyon 6/16 (JH).

<u>LAZULI BUNTING</u> -- 1 at Zuni 6/1 (OC) was late, while early migrants were south to Mangas Springs (RF) in last 10 days of July.

INDIGO BUNTING -- 1 at 0jo Caliente 6/4 (CR); 4 in Water Canyon 6/4 (JB1+); 1 at High Rolls 6/17 (6Smi); 1 in Gila 6/1D (Stephen MacDonald); 1 on 6/2 and 2 on 7/12 at Rattlesnake Springs (fide MP).

VARIED BUNTING -- Pair et Rattlesnake Springs 7/24 (DSRR).

DICKCISSEL -- 3 at Ft. Sumner 6/15-16 (SWi), where species likely nests.

RUFOUS-SIDED TOWHEE -- Easterly were 1 or more on Sabinoso BBS 6/17 (CR) and in Trujillo Canyon 6/16 (JH). Maximum Bosque count was 11 on 6/1 (PB, RT).

<u>CANYON TOWHEE</u> -- 4 easterly on Sabinoso BBS 6/17 (CR) and singles near Lakewood 6/6 and e. of Malaga 6/16 (SW).

CASSIN'S SPARROW -- Westerly: Up to 6 near Crownpoint 6/25 (GSC; also at Zuni 7/10-16 (DC) and near Animas 6/2 (RS).

RUFOUS-CROWNED SPARROW -- 1 at 8,600 feet in Sandias 6/24 (HS) was high.

CHIPPING SPARROW -- breeding: Adults feeding fledglings in Jemez Mts.
6/5 (CP).

BREWER'S SPARROW -- unusual: 6 on Farley BBS 6/11 (KM); seldom recorded in northeast in summer....l west of Magdalena 7/1 was southerly (JS).

BLACK-CHINNED SPARROW -- 4 in Gallina Mts. 6/24 (SWi) were in a new locality for the species...3 to 6 in Trujillo Canyon 6/16 (JH), in Magdalena Mts. 6/4 (JS+) and in Jicarilla Mts. 6/21 (SWi).

<u>VESPER SPARROW</u> -- Several singing in Apple Valley area of the Manzano Mts. 6/10 (HS), where the species probably nests. Reports to the southeast included the Gallina, Jicarilla (SWi) and Sacramento Mts. (CR).

BLACK-THROATED CPARROW -- 2 0. of Sabinoso 6/17 (CR).

SAGE SPARROW -- 2 near Water Canyon 6/3 (Bill Willard).

LARK BUNTING -- Summering birds sparse in the northeast, with only 5 to 7 on Farley BBS (KM) and Grenville BBS (KS) 6/11. Early migrants included 4 at Bosque NWR 7/13 (PB, RT) and 1 near Tularosa 7/17 (JENHt).

GRASSHOPPER SPARROW -- None observed on Roswell and Caprock BBSes (SWi) and only 1 e. of Sabinoso (CR). but no decline was reported at Clayton (WC), and 17 in the Animas Valley 6/18 (SWi) was similar to 1988 results. 1 to 3 at Las Vegas NWR 7/20-30 (PI, CR) and w. of Boone's Draw 7/13 (DC) could have been breeders or early migrants.

LINCOLN'S SPARROW -- 5 to 6 near Sunspot in Sacramento Mts. 6/24, along with a nest possibly of this species (CR). 1 at Mangas Springs 7/30 (RF), very early.

SONG SPARROW -- 1 at Zuni 7/11 (OC) was late.

BOBOLINK -- unusual: Male at Caballo L. 6/9 (EW) was vary unexpected.

YELLOW-HEADED BLACKBIRD -- Outside known breeding range were up to 6 at Clayton L. 6/25 (WC+), and others at Bosque NWR 6/1, 15 (PB+). near A; amogordo 6/22-24 (GSmi+), near Tularosa 7/7 (JSNHt), and near Cloudcroft 6/24 (CR). Two carrying food near Loving 7/14 (SW).

BREWER'S BLACKBIRD -- breeding: Pair carrying food to presumed nestlings in a hola 3 feet above ground in a dead pine at Quemado L. 6/3 (JH); 10 to 20 birds near Tularosa 7/1, 7 (JENHt) were presumed breeders.

GREAT-TAILED GRACKLES -- Peripherals: 10 to 11 near Ft. Sumner 6/15-16 (SWi); near Aztec and up to 3 at Zuni during period (DC); Also at Quemado L. (JH), Apache Creek (DC), Glenwood (JH) and Mangas Springs (RF).

COMMON GRACKLE -- Numbers up in Albuquerque north valley (BO). 29+ at Las Vegas NWR 7/20 (CR). 3 to 5 at Ribere 6/15 (JH) and at Ft. Sumner 6/16 (SWi).

BRONZED COWBIRD -- Peripherals: 2 to 6 at Gila 6/5-7/31 (Stephen MecOonald),
1 to 3 at Mangas Springs 6/7-725 (RF); 1 to 3 males at Truth or Consequences
6/1-7/24 (DM), and singles at Alamogordo 6/22 and 7/7 (William Wells).

CASSIN'S FINCH -- Summered in Chama area (LHS); 10 at La Cueva in Jemez Mts. 7/8 (PI+). Also, 1 to 4 near Galllnas, Rio Arriba (PI, CR) 7/11; in Zuni Mts. 6/28 (DC); in Sandia Mts. 6/29 (HS) plus 1 on 7/11 (PSt) and Sacramento Mts. 7/15 (fide RJ).

RED CROSSBILL -- Only reports: 2+ on Lake Peak 7/2-3 (JH); about 40 in Gallinas Mts. 6/21 (SWi), and 5 on Cloudcroft 88S 6/24 (CR).

PINE SISKIN -- Fairly numerous in mountains. Lower, a few birds at Santa Fe 7/16-30 (JH), Las Vegas NWR 7/24, 30 (PI+), and Zuni 7/11 (DV).

AMERICAN GOLDFINCH -- Summered in Chama area (LHS). Only other reports,  $\overline{1}$  to 4 at Zuni 6/11 and 7/10-26 (DC).

EVENING GROSBEAK -- In small numbers in San Juan, Jemez, Sangre de Cristo, Gallinas and Sacramento Mts. (v.o.). Present downslope at 0jo Caliente 7/21 (CR) and Santa fe area 7/18-31 (JH, CR).